



TECHNICAL INFORMATION

SPEC 5 ENDURO

GENERAL:

The SPEC 5 ENDURO brings the ultimate balance of speed and strength with increased segment surface area for added endurance to go the distance.

SPEC 5 ENDURO is a 125mm/5-inch resin-bonded polishing pad designed for hand-held machines. Incorporating WORX+ Halo technology where the resin-bonded diamond abrasive material is located around the periphery, the SPEC 5 ENDURO is designed for both high production speed at lower grits, minimal flexibility to ensure the flattest possible surface outcomes and extended lifetime.

FEATURES:

- WORX+ Halo Technology – abrasive material distributed around the perimeter of the pad ensuring working pressure is applied to the area of the polishing pad that yields maximum results.
- Unique WORX+ resin bonded diamond compound ensures continually “sharp” grinding performance, enabling rapid scratch refinement.
- Fibre backing ensures minimal flexibility
- Mechanical (instead of Velcro) attachment method ensures excellent balance for smooth operation and more stability at higher RPM ranges.
- High surface area to ensure extended lifetime and high refinement of finished surface.

SPECIFICATIONS:

- 125mm / 5” diameter
- Available in 50, 100, 200 grits
- 0-6000rpm
- Available with adaptors for M14 & 5/8 UNC spindle.





RANGE OF APPLICATIONS:

- Concrete
- Natural Stone

SAFETY MEASURES:

- Always use in conjunction with appropriate eye, ear & respiratory protection.

DISCLAIMER:

All information presented in this document is based on experience gained from either WORX+ in-house testing and R&D or observations made by end users and reflects the best of our knowledge to date.

Due to the range of variables present and often unique to any given application environment, the information presented in this document along with other written or verbal information that may be supplied regarding this product, should be viewed as non-binding and a guide only. Purchasers should always perform their own tests to assess product suitability for the given application & environment.

