



WORX+ PRODUCT RANGE GUIDE

**Total Solutions for
Concrete Grinding &
Polishing Contractors**



WHY WORX+

Solutions focused and service orientated, WORX+ brings together a team with extensive collective knowledge in all facets of the concrete grinding and polishing industry.

WORX+ is underpinned by a strong history of global innovation, manufacturing and distribution of concrete grinding equipment, consumables, training, support, and machine servicing. Equipped with leading contractor knowledge and experience, the WORX+ team strives for laser focus delivery of Total Solutions.

From King Concepts — the Australian company responsible for designing and manufacturing dual drive grinding technology used in leading machine technology worldwide today, to the development of WORX+, renowned for pushing performance boundaries through its range of diamond tooling and equipment offerings. WORX+ continually strives towards creating products that are designed to provide leading solutions that make a real difference to contractors and their operations.

Our line-up of product offerings **TOTALLYWORX**. Backed with:

- **TOTAL CONFIDENCE** — Tried, tested and proven performance on the job for the job.
- **TOTAL SUPPORT** — Mechanical service and repair, training, resources, accessible advice.
- **TOTAL RESULTS** — We sell what you need for real results.
- **TOTAL MONEY BACK GUARENTEE** — Risk-free purchasing. Total satisfaction or your money back. *Terms & Conditions apply.





TABLE OF CONTENTS



GRINDING TOOLS06

- 07 Metal Bonds Product Overview
- 08 Walk-Behind Grinding Tools
- 13 Walk-Behind Grinding Tools Accessories
- 14 Hand-Held Grinding Tools

POLISHING TOOLS18

- 19 Resin Polishing Pads Product Overview
- 20 Walk-Behind Polishing Tools
- 26 Walk-Behind Polishing Tools Accessories
- 28 Hand-Held Polishing Tools
- 34 Hand-Held Polishing Tools Accessories

ANCILLARY TOOLS36

PLANETARY GRINDERS39

- 42 Planetary Grinder Accessories

DUST EXTRACTORS43

- 49 Dust Extractor Accessories
- 50 Dust Extractor Filter Range

HAND GRINDERS51

- 55 Hand Grinder Accessories

FLOOR TREATMENT56

- 57 Formula Worx Product Overview
- 65 Floor Treatment Accessories

WORX+ diamond tooling choices have you covered for multiple applications and machinery types. From surface preparation through to complete concrete polishing applications, you will find a product that works for you.

GRINDING TOOLS

For the most updated information, please refer to our website www.worxplus.com

METAL BOND TOOLS



WORX+ Metal Bond tools with integrated Consistent Grinding Technology (CGT™) boosts productivity and project profitability. Ongoing field testing and R&D guarantees you access to innovative tooling designed to deliver results and confidence guaranteed.

WORX+ METAL BONDS PRODUCT MATRIX

REDI LOCK		BOND																	
		Xtra Output			Soft			Medium			Hard			Very Hard			Super Hard		
	Segment #	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
Type	Grit																		
Rox	0							✓	✓		✓	✓		✓	✓				
	6				✓	✓		✓	✓		✓	✓		✓	✓	✓			
	16				✓	✓		✓	✓		✓	✓		✓	✓				
	30	✓	✓		✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
	50	✓	✓		✓	✓		✓	✓		✓	✓		✓	✓				
	60		✓		✓	✓		✓	✓			✓							
	80					✓			✓										
	120				✓	✓	✓	✓	✓	✓									
	GRT		✓	✓		✓	✓		✓	✓			✓						
	160					✓	✓		✓	✓									
Zig Zag	16				✓	✓		✓	✓		✓	✓							
	30				✓	✓		✓	✓		✓	✓						✓	
Utility	16				✓	✓		✓	✓		✓	✓							
	30				✓	✓		✓	✓		✓	✓							
	50				✓	✓		✓	✓		✓	✓							
	60				✓	✓		✓	✓		✓	✓							





WALK-BEHIND GRINDING TOOLS

ROX METAL BONDS

The ROX metal bond diamond range offers fast and easy grinding to increase productivity rates. It sets advanced, high-performance benchmarks in diamond tooling output and longevity. With a variety of diamond shapes and integrated CGT™ the ROX range is designed to deliver high output for heavy duty surface preparation & stock removal through to high end polishing.



ROX GRT™ TOOLS

Industry unique integrated power grouting segments, designed with WORX+ exclusive integrated CGT™. GRT™ segments deliver outstanding surface profiling and pore packing through optimized segment shape and diamond grit formulation.

COLOUR	BOND	GRIT	SEGMENT	PRODUCT CODE
Green	Xtra Output	GRT	2	0131-1907
Green	Xtra Output	GRT	3	0131-2003
Gold	Soft	GRT	2	0111-1927
Gold	Soft	GRT	3	0111-2023
Grey	Medium	GRT	2	0112-2329
Grey	Medium	GRT	3	0112-2428
Red	Hard	GRT	3	0114-1320



ROX XTRA OUTPUT

COLOUR	BOND	GRIT	SEGMENT	PRODUCT CODE
Green	Xtra Output	30	1	0131-0122
Green	Xtra Output	30	2	0131-0221
Green	Xtra Output	50	1	0131-0306
Green	Xtra Output	50	2	0131-0504
Green	Xtra Output	60	2	0131-0429

ROX SOFT BOND

COLOUR	BOND	GRIT	SEGMENT	PRODUCT CODE
Gold	Soft	6	1	0111-0104
Gold	Soft	6	2	0111-0203
Gold	Soft	16	1	0111-0326
Gold	Soft	16	2	0111-0425
Gold	Soft	30	1	0111-0524
Gold	Soft	30	2	0111-0623
Gold	Soft	30	3	0111-0722
Gold	Soft	50	1	0111-0821
Gold	Soft	50	2	0111-0920
Gold	Soft	60	1	0111-1125
Gold	Soft	60	2	0111-1224
Gold	Soft	120	1	0111-1422
Gold	Soft	120	2	0111-1521
Gold	Soft	120	3	0111-1620
Gold	Soft	160	1	0111-1729
Gold	Soft	160	2	0111-1828



ROX MEDIUM BOND

COLOUR	BOND	GRIT	SEGMENT	PRODUCT CODE
Grey	Medium	SUPERCOARSE	1	0112-0103
Grey	Medium	SUPERCOARSE	2	0112-0202
Grey	Medium	6	1	0112-0301
Grey	Medium	6	2	0112-0400
Grey	Medium	16	1	0112-0523
Grey	Medium	16	2	0112-0622
Grey	Medium	30	1	0112-0721
Grey	Medium	30	2	0112-0820
Grey	Medium	50	1	0112-0929
Grey	Medium	50	2	0112-1025
Grey	Medium	60	1	0112-1223
Grey	Medium	60	2	0112-1322
Grey	Medium	120	1	0112-1520





Grey	Medium	120	2	0112-1629
Grey	Medium	120	3	0112-1827
Grey	Medium	160	1	0112-2022
Grey	Medium	160	2	0112-2220

ROX HARD BOND

COLOUR	BOND	GRIT	SEGMENT	PRODUCT CODE
Red	Hard	SUPERCOARSE	1	0114-0101
Red	Hard	SUPERCOARSE	2	0114-0200
Red	Hard	6	1	0114-0309
Red	Hard	6	2	0114-0408
Red	Hard	16	1	0114-0521
Red	Hard	16	2	0114-0620
Red	Hard	30	1	0114-0729
Red	Hard	30	2	0114-0828
Red	Hard	30	3	0114-0927
Red	Hard	50	1	0114-1023
Red	Hard	50	2	0114-1122
Red	Hard	60	2	0114-1221



ROX VERY HARD BOND

COLOUR	BOND	GRIT	SEGMENT	PRODUCT CODE
Blue	Very Hard	SUPERCOARSE	1	0115-0100
Blue	Very Hard	SUPERCOARSE	2	0115-0209
Blue	Very Hard	6	1	0115-0308
Blue	Very Hard	6	2	0115-0407
Blue	Very Hard	6	3	0115-0506
Blue	Very Hard	16	1	0115-0629
Blue	Very Hard	16	2	0115-0728
Blue	Very Hard	30	1	0115-0827
Blue	Very Hard	30	2	0115-0926
Blue	Very Hard	30	3	0115-1022
Blue	Very Hard	50	1	0115-1121
Blue	Very Hard	50	2	0115-1220



ROX SUPER HARD BOND

COLOUR	BOND	GRIT	SEGMENT	PRODUCT CODE
Purple	Super Hard	30	1	0116-0123
Purple	Super Hard	30	2	0116-0222
Purple	Super Hard	30	3	0116-0321



ZIG ZAG METAL BONDS

High performance tools for use in high-speed surface preparation applications and for aggression on harder concrete. Designed to apply pressure with greater stability than traditional thin segments. Multiple leading edges increase speed and decrease heat of segments more effectively than conventional tools increasing performance output.

COLOUR	BOND	GRIT	SEGMENT	PRODUCT CODE
Gold	Soft	16	1	0121-0101
Gold	Soft	16	2	0121-0200
Gold	Soft	30	1	0121-0309
Gold	Soft	30	2	0121-0408
Grey	Medium	16	1	0122-0100
Grey	Medium	16	2	0122-0209
Grey	Medium	30	1	0122-0308
Grey	Medium	30	2	0122-0407
Red	Hard	16	1	0123-0109
Red	Hard	16	2	0123-0208
Red	Hard	30	1	0123-0307
Red	Hard	30	2	0123-0406
Blue	Very Hard	16	1	0124-0306
Blue	Very Hard	16	2	0124-0405
Blue	Very Hard	30	1	0124-0504
Blue	Very Hard	30	2	0124-0603
Purple	Super Hard	30	2	0125-0602






UTILITY METAL BONDS

Great results for price sensitive projects from surface preparation through to polished concrete. Segment design optimises performance of lighter weight machines and allows for high productivity.

COLOUR	BOND	GRIT	SEGMENT	PRODUCT CODE
Gold	Soft	16	1	0141-0105
Gold	Soft	16	2	0141-0204
Gold	Soft	30	1	0141-0303
Gold	Soft	30	2	0141-0402
Gold	Soft	50	1	0141-0501
Gold	Soft	50	2	0141-0600
Gold	Soft	60	1	0141-0709
Gold	Soft	60	2	0141-0808
Grey	Medium	16	1	0142-0104
Grey	Medium	16	2	0142-0203
Grey	Medium	30	1	0142-0302
Grey	Medium	30	2	0142-0401
Grey	Medium	50	1	0142-0500
Grey	Medium	50	2	0142-0609
Grey	Medium	60	1	0142-0708
Grey	Medium	60	2	0142-0807
Red	Hard	16	1	0143-0103
Red	Hard	16	2	0143-0202
Red	Hard	30	1	0143-0301
Red	Hard	30	2	0143-0400
Red	Hard	50	1	0143-0509
Red	Hard	50	2	0143-0608
Red	Hard	60	1	0143-0707
Red	Hard	60	2	0143-0806



SHREDDA PCD

The Shredda PCD provides unparalleled performance when it comes to rapid removal of medium to thick concrete floor coatings, adhesives, levelling compounds and elastomerics.

For applications which are often too difficult or too time-consuming for conventional diamond tooling, the Shredda PCD offers productivity and economy.

PCD RANGE

ROTATION	SEGMENT	PRODUCT CODE
Clockwise	5 Truncated PCD Segments	0155-0115
Counter-clockwise	5 Truncated PCD Segments	0155-0214



WALK-BEHIND GRINDING TOOLS ACCESSORIES

PRODUCT	COMPATIBILITY & SIZE	PRODUCT CODE
	PG450 Diamond Holder Disc With Lock In Threads	0652-1301
	PG530/680 Diamond Holder Disc With Lock In Threads	0652-1103
	PG820 Diamond Holder Disc With Lock In Threads	0652-1202
	HTC420 Diamond Holder Disc	0652-2209
	HTC550/650 Diamond Holder Disc	0652-2308
	HTC800/950 Diamond Holder Disc	0652-2407
	HTC270 Edger Diamond Holder Disc	0652-2100
	Klindex 200mm (Expander 530) Disc	0652-3107
	Holder Disc, Klindex 240mm (Expander 580, 650, 750, 850, 999 & 1000)	0652-3206
Diamond Holder Plug Adapter Plate	Replacement for Conventional Diamond Plugs	0652-5200
Diamond Holder Trapezoid Adapter	Replacement for Conventional Trapezoid Diamond Plugs	0652-5101



HAND-HELD GRINDING TOOLS

CUP WHEELS MATRIX

SIZE	GRIT	16	30		60	100	160
	BOND	SOFT		MEDIUM	SOFT		
	TYPE						
80mm	Turbo		✓			✓	
125mm	Zig Zag		✓				
	Force		✓	✓	✓		
	Turbo		✓		✓	✓	
	Refine		✓	✓	✓	✓	✓
150mm	Zig Zag	✓	✓				
	Force		✓	✓			
	Turbo		✓		✓	✓	
	Refine		✓	✓	✓	✓	
180mm	Zig Zag	✓	✓				
	Force		✓	✓			
	Arrow		✓				
	Turbo		✓		✓	✓	
	Refine		✓	✓	✓	✓	



ZIG ZAG CUP WHEEL


Rapid and aggressive surface preparation. Excellent for the removal of thick roll down coatings, glues etc. where an aggressive high-speed tool is required. Remove medium to hard stock coatings, thick coatings such as levelling compounds, mastics, epoxies and adhesives.



COLOUR	DIAMETER	BOND	GRIT	SEGMENT	PRODUCT CODE
Gold	125mm	Soft	16	6	0312-0101
Gold	125mm	Soft	30	6	0312-0200
Gold	150mm	Soft	16	7	0322-0108
Gold	150mm	Soft	30	7	0322-0207
Gold	180mm	Soft	16	8	0332-0105
Gold	180mm	Soft	30	8	0332-0204

FORCE CUP WHEEL

Highly aggressive cup wheel range designed to deliver high productivity performance. Rapid removal of concrete, glues and thin film coatings from concrete and masonry surfaces.



COLOUR	DIAMETER	BOND	GRIT	SEGMENT	PRODUCT CODE
Gold	125mm	Soft	30/40	8	0314-0109
Grey	125mm	Medium	30/40	8	0314-0208
Gold	125mm	Soft	60/80	8	0314-0307
Gold	150mm	Soft	30/40	10	0324-0106
Grey	150mm	Medium	30/40	10	0324-0205
Gold	180mm	Soft	30/40	12	0334-0103
Grey	180mm	Medium	30/40	12	0334-0202
Gold	180mm	Soft	60/80	12	0334-0301



TURBO CUP WHEEL

Smooth results for hard to very hard concrete. Slightly more aggressive cut and scratch pattern than the REFINE range. Will “stay open” longer, particularly when not using floor treatment agents to keep tooling open. Continual diamond perimeter with minimal “rounding” of outer edge of the cup wheel segment facilitates premium finishes.


COLOUR	DIAMETER	BOND	GRIT	SEGMENT	PRODUCT CODE
Red	125mm	Soft	30/40	30	0315-0108
Gold	125mm	Soft	60/80	30	0315-0207
Blue	125mm	Soft	100/120	30	0315-0306
Red	150mm	Soft	30/40	36	0325-0105
Gold	150mm	Soft	60/80	36	0325-0204
Blue	150mm	Soft	100/120	36	0325-0303
Red	180mm	Soft	30/40	36	0335-0102
Gold	180mm	Soft	60/80	36	0335-0201
Blue	180mm	Soft	100/120	36	0335-0300



REFINE CUP WHEEL

Specifically designed for general purpose and finishing applications. Excellent all-round tool with impressive performance capacity. Multi-segmented for smooth operation where surface refinement is essential.

COLOUR	DIAMETER	BOND	GRIT	SEGMENT	PRODUCT CODE
Gold	125mm	Soft	30/40	16	0316-0107
Grey	125mm	Medium	30/40	16	0316-0206
Gold	125mm	Soft	60/80	16	0316-0305
Gold	125mm	Soft	100/120	16	0316-0404
Gold	125mm	Soft	160/180	16	0316-0503
Gold	150mm	Soft	30/40	18	0326-0104
Grey	150mm	Medium	30/40	18	0326-0203
Gold	150mm	Soft	60/80	18	0326-0302
Gold	150mm	Soft	100/120	18	0326-0401



PCD CUP WHEEL RANGE

The Force PCD Cup Wheel range is a highly aggressive cup wheel range designed to deliver high productivity and performance.



DIAMETER	BOND	SEGMENT	PRODUCT CODE
125mm	Mini PCD	12	0311-0102
125mm	1/4 PCD	6	0311-0201
150mm	Mini PCD	16	0321-0109
150mm	1/4 PCD	6	0321-0208
180mm	1/4 PCD	8	0331-0205



ARROW CUP WHEEL

Highly aggressive cup wheel range designed to deliver top productivity performance. Great for rapid removal of concrete, glues and thin film coatings from concrete and masonry surfaces.

COLOUR	DIAMETER	BOND	GRIT	SEGMENT	PRODUCT CODE
Gold	180mm	Soft	30/40	6	0333-0104





WORX+ Resin Bond range offers contractors, speed, clarity, consistency, off-the-charts gloss and longevity. Ongoing field testing and R&D guarantees you access to innovative tooling designed to deliver results and confidence guaranteed.

WORX+ RESIN POLISHING PADS PRODUCT MATRIX

SIZE	TYPE	GRIT									
		30	50	100	200	400	800	1500	3000	5000	10000
Corner	Triangular3	✓	✓	✓	✓	✓	✓	✓	✓		
75mm	Specialty		✓	✓	✓						
	Impact3		✓	✓	✓	✓	✓		✓		
	Universal			✓	✓	✓	✓				
	Flex3			✓	✓	✓	✓	✓	✓	✓	✓
	Aqua3		✓	✓	✓	✓					
	Ceramic	✓	✓	✓	✓						
	Honey3		✓	✓	✓	✓					
125mm	Honey 5	✓	✓	✓	✓	✓	✓	✓	✓		
	Halo5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Flex5	✓	✓	✓	✓	✓	✓	✓	✓		
	Impact5		✓	✓	✓	✓	✓	✓	✓		
	Aqua5		✓	✓	✓	✓					
150mm	Honey6		✓	✓	✓	✓	✓	✓	✓		
	Halo6	✓	✓	✓	✓	✓	✓	✓	✓		
PRO	Specialty Pro		✓	✓	✓						



POLISHING TOOLS

For the most updated information, please refer to our website www.worxplus.com



WALK-BEHIND POLISHING TOOLS

UNIVERSAL

Speed, colour and excellent clarity. High refinement and low resin transfer are achieved with this multi-segmented, semi flexible, high surface area resin. Suits low/high grit finishes on flat and wavy surfaces. High pad surface area.

COLOUR	DIAMETER	THICKNESS	GRIT	PRODUCT CODE
Black	75mm	6mm	100	0432-0104
Red	75mm	6mm	200	0432-0203
Yellow	75mm	6mm	400	0432-0302
White	75mm	6mm	800	0432-0401



SPECIALTY

Speed, low wear, with a broad application window. The 'do it all' range. Deep, material clearing passages, to exit dust and fresh densifier. Rigid tool to deliver flat uniformly honed surfaces fast. Suits low grit finishes on flat surfaces. High pad surface area.

COLOUR	DIAMETER	THICKNESS	GRIT	PRODUCT CODE
Green	75mm	10mm	50	0430-0106
Black	75mm	10mm	100	0430-0205
Red	75mm	10mm	200	0430-0304



SPECIALTY PRO

The Specialty Pro takes Specialty to the next level. It delivers best-in-class speed, improved scratch removal, and enhanced material evacuation. It's recommended to pair this up with Rip Change Pro for the best results.

COLOUR	THICKNESS	GRIT	PRODUCT CODE
Green	10mm	50	0405-0100
Black	10mm	100	0405-0209
Red	10mm	200	0405-0308



IMPACT 3

Exceptional colour, clarity, and depth. Rigid design, broad application capacity that delivers outstanding colour on dark concrete and exotic aggregates. Suits low/high grit range on flat surfaces where attention to colour and depth is required. High pad surface area.


COLOUR	DIAMETER	THICKNESS	GRIT	PRODUCT CODE
Green	75mm	6mm	50	0431-0105
Black	75mm	6mm	100	0431-0204
Red	75mm	6mm	200	0431-0303
Yellow	75mm	6mm	400	0431-0402
White	75mm	6mm	800	0431-0501



FLEX 3

Sensational gloss, clarity and depth of colour. Highly flexible, delivering exceptional gloss at high speeds. High pad surface area.

COLOUR	DIAMETER	THICKNESS	GRIT	PRODUCT CODE
Black	75mm	3mm	100	0433-0202
Red	75mm	3mm	200	0433-0301
Yellow	75mm	3mm	400	0433-0400
White	75mm	3mm	800	0433-0509
Blue	75mm	3mm	1500	0433-0608
Grey	75mm	3mm	3000	0433-0707
Aqua	75mm	3mm	5000	0433-0806
Orange	75mm	3mm	10, 000	0433-0905





AQUA 3

Delivers a highly consistent scratch pattern. Exceptional for floor honing and polishing as well as wet cutting-power-trowelled/burnished concrete where zero aggregate exposure is required before densification. Long-life resin pads are rubber and Velcro backed, increasing flexibility and smooth operation. High pad surface area.

COLOUR	DIAMETER	THICKNESS	GRIT	PRODUCT CODE
Green	75mm	10mm	50	0434-0003
Black	75mm	10mm	100	0434-0102
Red	75mm	10mm	200	0434-0201
Yellow	75mm	10mm	400	0434-0300

CERAMIC


Alternative floor pads for supplementary performance for specific applications and processes.

COLOUR	DIAMETER	THICKNESS	GRIT	PRODUCT CODE
Brown	75mm	10mm	30	0435-0101
Green	75mm	10mm	50	0435-0200
Black	75mm	10mm	100	0435-0309
Red	75mm	10mm	200	0435-0408

HONEY 3

Outstanding polishing results. High-speed tool suited to all concrete types when pre-hardened with Formula Worx - Totally Boost densifier.

COLOUR	DIAMETER	THICKNESS	GRIT	PRODUCT CODE
Green	75mm	2mm	50	0436-0100
Black	75mm	2mm	100	0436-0209
Red	75mm	2mm	200	0436-0308
Yellow	75mm	2mm	400	0436-0407



TEMPO HD PADS

A highly flexible, exceptional quality, diamond burnishing pad. Create additional gloss points and remove swirling from low gloss/satin finished floors. Excellent addition for surface polishing (zero aggregate exposure) floors.

TEMPO HD 7

COLOUR	DIAMETER	GRIT	PRODUCT CODE
Orange	180mm	200	0461-0106
Red	180mm	400	0461-0205
Blue	180mm	800	0461-0304
Yellow	180mm	1500	0461-0403
Green	180mm	3000	0461-0502

TEMPO HD 9

COLOUR	DIAMETER	GRIT	PRODUCT CODE
Orange	230mm	200	0471-0103
Red	230mm	400	0471-0202
Blue	230mm	800	0471-0301
Yellow	230mm	1500	0471-0400
Green	230mm	3000	0471-0509

TEMPO HD 11

COLOUR	DIAMETER	GRIT	PRODUCT CODE
Orange	280mm	200	0481-0100
Red	280mm	400	0481-0209
Blue	280mm	800	0481-0308
Yellow	280mm	1500	0481-0407
Green	280mm	3000	0481-0506





TEMPO HD 20

COLOUR	DIAMETER	GRIT	PRODUCT CODE
Orange	500mm	200	0491-0107
Red	500mm	400	0491-0206
Blue	500mm	800	0491-0305
Yellow	500mm	1500	0491-0404
Green	500mm	3000	0491-0503



TEMPO XD PADS

Extra Density buffing pads with unparalleled lifespan and extremely high production rates. The extra dense pads are made to withstand the pressure, torque, and RPM of heavy industrial floor grinding & polishing machines, while delivering consistent gloss levels.

TEMPO XD 7

COLOUR	DIAMETER	GRIT	PRODUCT CODE
Green	180mm	50	0494-0005
Black	180mm	100	0494-0104
Red	180mm	200	0494-0203
Yellow	180mm	400	0494-0302
White	180mm	800	0494-0401
Blue	180mm	1500	0494-0500
Grey	180mm	3000	0494-0609



TEMPO XD 9

COLOUR	DIAMETER	GRIT	PRODUCT CODE
Green	230mm	50	0495-0004
Black	230mm	100	0495-0103
Red	230mm	200	0495-0202
Yellow	230mm	400	0495-0301
White	230mm	800	0495-0400
Blue	230mm	1500	0495-0509
Grey	230mm	3000	0495-0608
Light Blue	230mm	5000	0495-0707



TEMPO XD 11

COLOUR	DIAMETER	GRIT	PRODUCT CODE
Green	280mm	50	0496-0003
Black	280mm	100	0496-0102
Red	280mm	200	0496-0201
Yellow	280mm	400	0496-0300
White	280mm	800	0496-0409
Blue	280mm	1500	0496-0508
Grey	280mm	3000	0496-0607
Light Blue	280mm	5000	0496-0706





WALK-BEHIND POLISHING TOOLS ACCESSORIES – RIP CHANGE

PRODUCT	SIZE	PRODUCT CODE
Resin Rip Change	Corner	0630-1101
	75mm	0630-1705
	125mm	0630-1200
	150mm	0630-1309
	180mm	0630-1408
	230mm	0630-1507
	270mm	0630-1606
Burnishing Rip Change	125mm	0630-4508
	150mm	0630-4409
	180mm	0630-4102
	230mm	0630-4201
	270mm	0630-4300
Flex Resin Rip Change	80mm	0630-3402
	125mm	0630-2306
	230mm	0630-2108
	270mm	0630-2207
Rip Change Pro	240mm	0630-6403
	280mm	0630-6502
Little Rippers	Burnishing-Resin Adaptor	0630-3105
	Burnishing-Resin Adaptor	0630-3303
Maxi Rippers	Burnishing-Resin Adaptor	0630-3204
Resin Holder Disc	PG450 Resin Holder Disc	0653-1300
	PG530/680 Resin Holder Disc	0653-1102
	PG820 Resin Holder Disc	0653-1201
	HTC550/650 Resin Holder Disc	0653-2109
	HTC800/950 Resin Holder Disc	0653-2208
	Klindex 200mm (Expander 530) Resin Holder Disc	0653-3106
	Klindex 240mm Resin Holder Disc (Expander 580, 650, 750, 850, 999 & 1000)	0653-3205
Blue Burnishing Pad	240mm	0680-1106
	280mm	0680-1205
	500mm	0680-1304
Tempo XD Burnishing Pad	230mm	0680-1700
	280mm	0680-1809





HAND-HELD POLISHING TOOLS

FLEX 5

Ultimate shine and gloss levels with excellent scratch elimination, flexibility and durability at high speeds. For dry polishing on decorative, densified concrete, and some natural stone and terrazzo surfaces. High pad surface area.

COLOUR	DIAMETER	THICKNESS	GRIT	PRODUCT CODE
Brown	125mm	3mm	30	0443-0100
Green	125mm	3mm	50	0443-0209
Black	125mm	3mm	100	0443-0308
Red	125mm	3mm	200	0443-0407
Yellow	125mm	3mm	400	0443-0506
White	125mm	3mm	800	0443-0605
Blue	125mm	3mm	1500	0443-0704
Grey	125mm	3mm	3000	0443-0803



HALO 5 & 6

Flexible and durable, use for unparalleled colour, clarity and gloss. Greater friction – faster gloss. Reduced tool surface area enhances downward pressure, increasing polishing speeds and gloss levels. The centreless, lightweight format lessens “centre bite” improving balance and control.

HALO 5

COLOUR	DIAMETER	THICKNESS	GRIT	PRODUCT CODE
Brown	125mm	3mm	30	0442-0101
Green	125mm	3mm	50	0442-0200
Black	125mm	3mm	100	0442-0309
Red	125mm	3mm	200	0442-0308
Yellow	125mm	3mm	400	0442-0507
White	125mm	3mm	800	0442-0606
Blue	125mm	3mm	1500	0442-0705
Grey	125mm	3mm	3000	0442-0804
Aqua	125mm	3mm	5000	0442-0903
Orange	125mm	3mm	10000	0442-1009



HALO 6

COLOUR	DIAMETER	THICKNESS	GRIT	PRODUCT CODE
Green	150mm	3mm	50	0451-0109
Black	150mm	3mm	100	0451-0208
Red	150mm	3mm	200	0451-0307
Yellow	150mm	3mm	400	0451-0406
White	150mm	3mm	800	0451-0505
Blue	150mm	3mm	1500	0451-0604
Grey	150mm	3mm	3000	0451-0703





HONEY 5 & 6


High polishing results. Long life tool suited to all concrete types when pre-hardened with Formula Worx - Totally Boost densifier.

HONEY 5

COLOUR	DIAMETER	THICKNESS	GRIT	PRODUCT CODE
Brown	125mm	2mm	30	0441-0003
Green	125mm	2mm	50	0441-0102
Black	125mm	2mm	100	0441-0201
Red	125mm	2mm	200	0441-0300
Yellow	125mm	2mm	400	0441-0409
White	125mm	2mm	800	0441-0508
Blue	125mm	2mm	1500	0441-0607
Grey	125mm	2mm	3000	0441-0706

HONEY 6


COLOUR	DIAMETER	THICKNESS	GRIT	PRODUCT CODE
Green	150mm	2mm	50	0451-0109
Black	150mm	2mm	100	0451-0208
Red	150mm	2mm	200	0451-0307
Yellow	150mm	2mm	400	0451-0406
White	150mm	2mm	800	0451-0505
Blue	150mm	2mm	1500	0451-0604
Grey	150mm	2mm	3000	0451-0703



IMPACT 5

High impact productivity & gloss. For ultimate shine, scratch elimination and longevity of tooling.

COLOUR	DIAMETER	THICKNESS	GRIT	PRODUCT CODE
Green	125mm	3mm	50	0444-0208
Black	125mm	3mm	100	0444-0307
Red	125mm	3mm	200	0444-0406
Yellow	125mm	3mm	400	0444-0505
White	125mm	3mm	800	0444-0604
Blue	125mm	3mm	1500	0444-0703



AQUA 5

Combine with Aqua 3 floor resins for a consistent transition and complimentary scratch pattern across edges and floor body. Exceptional for floor honing and polishing as well as wet cutting, power-trowelled/burnished concrete, where zero aggregate exposure is required before densification.

COLOUR	DIAMETER	THICKNESS	GRIT	PRODUCT CODE
Green	125mm	3mm	50	0447-0106
Black	125mm	3mm	100	0447-0205
Red	125mm	3mm	200	0447-0304
Yellow	125mm	3mm	400	0447-0403





SPEC 5 & 7

Delivering the ultimate balance of speed and strength the Spec range is a rigid uniquely developed resin-bonded polishing cup with outstanding, rapid scratch refinement, and integrated consistent grinding technology (CGT) for handheld applications.

SPEC 5

COLOUR	DIAMETER	THICKNESS	GRIT	PRODUCT CODE
Green	125mm	4mm	100	0440-0103
Black	125mm	4mm	200	0440-0202
Red	125mm	4mm	800	0440-0301
Spec 5 Starter Kit: Includes 1 x 50, 100, 200 Grit, Lock Nut & Spacer Set				0440-9007

SPEC 7

COLOUR	DIAMETER	THICKNESS	GRIT	PRODUCT CODE
Green	180mm	4mm	50	0440-2107
Black	180mm	4mm	100	0440-2206
Red	180mm	4mm	200	0440-9304
Spec 7 Starter Kit: Includes 1 x 50, 100, 200 Grit, Lock Nut & Spacer Set				0440-9007

SPEC 5 ENDURO

The Spec 5 Enduro brings the ultimate balance of speed and strength with increased segment surface area for added endurance to go the distance.

Spec 5 Enduro is a 125mm/5-inch resin-bonded polishing pad designed for hand-held machines. Incorporating WORX+ Halo technology where the resin-bonded diamond abrasive material is located around the periphery. Designed for both high production speed at lower grits, minimal flexibility to ensure the flattest possible surface outcomes and extended lifetime.

COLOUR	DIAMETER	THICKNESS	GRIT	PRODUCT CODE
Green	125mm	4mm	50	0440-4101
Black	125mm	4mm	100	0440-4200
Red	125mm	4mm	200	0440-4309
Spec 5 Enduro Starter Pack: Includes 1 x 50, 100, 200 Grit, Lock Nut & Spacer Set.				0440-9403



RAPID 5

A hand-held polishing pad designed for maximum production speed. Extremely lightweight, making it more tolerant to higher speeds (0-6000 rpm).

COLOUR	DIAMETER	THICKNESS	GRIT	PRODUCT CODE
Green	125mm	3mm	50	0449-0203
Black	125mm	3mm	100	0449-0302
Red	125mm	3mm	200	0449-0401
Yellow	125mm	3mm	400	0449-0500
White	125mm	3mm	800	0449-0609
Blue	125mm	3mm	1500	0449-0708
Grey	125mm	3mm	3000	0449-0807



TEMPO HD 5

A highly flexible, exceptional quality, diamond burnishing pad. Create additional gloss points and remove swirling from low gloss/satin finished floors. Excellent addition for surface polishing (zero aggregate exposure) floors.

COLOUR	DIAMETER	GRIT	PRODUCT CODE
Orange	125mm	200	0445-0108
Red	125mm	400	0445-0207
Blue	125mm	800	0445-0306
Yellow	125mm	1500	0445-0405
Green	125mm	3000	0445-0504





TEMPO XD 5

Extra Density buffing pads with unparalleled lifespan and extremely high production rates. The extra dense pads are made to withstand the pressure, torque, and RPM of heavy industrial floor grinding & polishing machines, whilst delivering consistent gloss levels.


COLOUR	DIAMETER	GRIT	PRODUCT CODE
Green	125mm	50	0493-0006
Black	125mm	100	0493-0105
Red	125mm	200	0493-0204
Yellow	125mm	400	0493-0303
White	125mm	800	0493-0402
Blue	125mm	1500	0493-0501
Grey	125mm	3000	0493-0600



HAND-HELD POLISHING TOOLS ACCESSORIES

PRODUCT	SIZE	PRODUCT CODE
Plastic Resin Pad Backer	Drill, 75mm	0641-1107
	M14, 125mm	0641-2104
Aluminium Resin Pad Backer	M14, 125mm	0641-2203
	M14, 150mm	0641-3101
	M14, 230mm	0641-5105
	M10, 75mm	0641-1206
	2018 Thread, 150mm	0641-3200
SPEC 5 & 7	Spec Lock NUT and SPACER Set	0440-9106





ANCILLARY TOOLS

For the most updated information, please refer to our website www.worxplus.com

ANCILLARY TOOLS



PROFILE WHEELS – EDGING TOOLS

Bring that professional profile to the corner of concrete benchtops, step treads, benchtops, pools and more. Eliminate time intensive hand-shaping, and dramatically improve accuracy and refinement with the WORX+ Profile Wheels.



- Bevel Profile Wheel
- Bull Nose Profile Wheel

PRODUCT	GRIT	THREAD	PRODUCT CODE
Bevel Profile Wheel 5mm	Coarse (50#)	M14	0212-0706
Bevel Profile Wheel 5mm	Fine (100#)	M14	0212-0805
Bevel Profile Wheel 7mm	Coarse (50#)	M14	0212-0904
Bevel Profile Wheel 7mm	Fine (100#)	M14	0212-1000
Bevel Profile Wheel 10mm	Coarse (50#)	M14	0212-1109
Bevel Profile Wheel 10mm	Fine (100#)	M14	0212-1208
Bevel Profile Wheel 20mm	Coarse (50#)	M14	0212-1307
Bevel Profile Wheel 20mm	Fine (100#)	M14	0212-1208
Bull Nose Profile Wheel 5mm	Coarse (50#)	M14	0212-1505
Bull Nose Profile Wheel 5mm	Fine (100#)	M14	0212-1604
Bull Nose Profile Wheel 7mm	Coarse (50#)	M14	0212-1703
Bull Nose Profile Wheel 7mm	Fine (100#)	M14	0212-1802
Bull Nose Profile Wheel 10mm	Coarse (50#)	M14	0212-2106
Bull Nose Profile Wheel 10mm	Fine (100#)	M14	0212-2205
Bull Nose Profile Wheel 20mm	Coarse (50#)	M14	0212-2304
Bull Nose Profile Wheel 20mm	Fine (100#)	M14	0212-2403

TURBO 3 CUP WHEEL – EDGING TOOL

Turbo charge concrete grinding and polishing detail work. The multi-purpose diamond tool is essential for every contractor's toolbox for hard-to-reach areas where a rotary grinding action is required.

PRODUCT	SIZE	GRIT	THREAD	BOND	PRODUCT CODE
Turbo Rim Cup Wheel	80mm	30	M10	Soft	0303-0103
Turbo Rim Cup Wheel	80mm	100	M10	Soft	0303-0202



ANCILLARY TOOLS

TRIX BLADES – EDGING TOOLS

The TRIx blade is a multi-purpose diamond tool essential for every contractor’s toolbox. It has a large diamond surface for easy grinding & bevelling, a corrugated outer edge that enables cutting function, and its lightweight design makes it easy to finesse detail work.

PRODUCT	SIZE	GRIT	THREAD	PRODUCT CODE
TRIX3	75mm	30	M10	0211-0202
TRIX3	75mm	100	M10	0211-0301
TRIX5	125mm	30	M14	0211-0103
TRIX5	125mm	100	M14	0211-0509
TRIX7	150mm	30	M14	0211-0608
TRIX7	150mm	100	M14	0211-0707



CORNER POLISHING TOOL – TRIANGULAR 3

WORX+ triangular corner polishing pads excel in hard-to-reach areas, where circular alternatives such as diamond cup wheels and polishing pads provide limited options.

PRODUCT	SIZE	GRIT	PRODUCT CODE
Triangular Corner Polishing Pad	80 x 80 x 80mm	30	0421-0108
Triangular Corner Polishing Pad	80 x 80 x 80mm	60	0421-0207
Triangular Corner Polishing Pad	80 x 80 x 80mm	120	0421-0306
Triangular Corner Polishing Pad	80 x 80 x 80mm	200	0421-0405
Triangular Corner Polishing Pad	80 x 80 x 80mm	400	0421-0504
Triangular Corner Polishing Pad	80 x 80 x 80mm	800	0421-0603
Triangular Corner Polishing Pad	80 x 80 x 80mm	1500	0421-0702
Triangular Corner Polishing Pad	80 x 80 x 80mm	3000	0421-0801



PLANETARY GRINDERS

For the most updated information, please refer to our website www.worxplus.com

GRINDWORX KING SERIES GRINDERS

PUSHING THE BOUNDARIES OF
CONCRETE GRINDING & POLISHING



FOR MORE INFORMATION,
SCAN THE QR CODE

PLANETARY GRINDERS



GRINDWORX KING SERIES GRINDERS

Available models: GK-700 & GK-850

The GrindWorx King Series grinders push the boundaries of concrete grinding and polishing. An innovation that brings together form, function, and pure dominance on the floor.

It's true essence - an operator-first machine that delivers productivity rates like no other.

What you can expect with the King Series grinders:

- 22kW of pure power: a permanent magnet motor that offers intelligent control and integrated sensors that deliver real-time feedback to frequency inverters. This lets you fine-tune operations and maximise performance at every stage of your process.
- Radio control: cutting-edge control with stable wireless connection. The RC brings new technology to your fingertips, untapping productivity you never thought possible — think one-press U-turns and lane-merging autopilot.
- An onboard display that mirrors the remote control: get all the key diagnostics and machine functionality via the handlebar control panel when not using the remote control.
- Split-Chassis Tilt-Back System: Easily fine-tune tooling pressure with dynamic adjustments and get complete control without limitations of fixed weight settings. Changing tooling is no longer a hassle. This system lets you lift the grinding head easily.
- Geometry That Conquers Every Job: The King Series has been specially designed for optimal handling, so you can enjoy unprecedented manoeuvrability in tight working environments.



- Reliable Wheel Drives: The powerful wheel drive control system allows for driving up inclines up to 30 degrees. Operators can also expect smooth tracking and grinding action.
- Joystick Precision: Customise the King Series responsiveness to joystick movements for precise control.
- Reliable Wheel Locks: Move the grinder easily when it's turned off with the King Series' unique locking mechanism.
- Easy real-time troubleshooting, performance tracking, and security: access to your grinder's live performance and GPS location via WORX+'s unique online portal, and catch problems before they arise.

This is just scratching the surface! For more information, visit www.worxplus.com.



For in-depth technical specifications, scan the following QR code:



PLANETARY GRINDERS

PLANETARY GRINDER ACCESSORIES

PRODUCT	TYPE	PRODUCT CODE
Demolition Grinding Heads	Husqvarna PG530 Demolition Grinding Head	0651-1104
	Husqvarna PG680 Demolition Grinding Head	0651-1203
	Husqvarna PG820 Demolition Grinding Head	0651-1302
	HTC 650 HDX Demolition Grinding Head	0651-2101
	HTC 800 HDX Demolition Grinding Head	0651-2200
	HTC Duratiq 6 Demolition Grinding Head	0651-2408
	HTC Duratiq 8 Demolition Grinding Head	0651-2309
	SB650 Demolition Grinding Head	0651-3108
	SB800 Demolition Grinding Head	0651-3207
Grinding Head Parts	PG530/680/820 Demolition Head System Silicone Ring	0721-0105
	PG680/820 Demolition Head Replacement Pin With Hex Head	0721-0907
	PG530/680/820 Head Lock	0721-1003
	PG530/680/820 Head Lock Screw	0721-1102
	Demolition Head – Hex Head Pin Screw	0721-1201
	Klindex Head Lock	0721-7104
	Klindex Head Lock Screw	0721-7203
Light Kit	12v Complete Machine Light Kit	0650-1105
	12v Complete Machine Light Kit For RC Machine	0650-1303
Water Kit	Water Feed Kit	0650-2102
Test Plug	4pin 3 Phase Test Plug	0650-3109
	5pin 3 Phase Test Plug	0650-3208
Skirt	Husqvarna PG530 Red Skirt	0655-1100
	Husqvarna PG680 Skirt Red	0655-2107
	Husqvarna PG820 Skirt Red	0655-3104

*Call us for a full list of accessories.

- › WORX+ AIRWORX range is designed for dirty, harsh and demanding work environments where conditions get tough and performance is premium.
- › WORX+ vacuums optimise vacuum suction capacity and minimise downtime through nuisance factors such as clogging, shaking, thumping or blocking.
- › Robust construction offers reliability and ease of use – no flimsy parts or wheels – practical and ergonomic in design and function. Built for performance, reliability and safety.
- › Superior suction and filtration capacity reduces exposure to silica dust.



DUST EXTRACTORS

For the most updated information, please refer to our website www.worxplus.com



AIRWORX 550PB

Product Code: 0820-3205

AIRWORX 550PB (Pulse-bac) vacuum system offers contractors excellent performance, reliability and safety.

- The single-phase 550PB automatically flushes filters clear, using only ambient air and vacuum – stopping filters from filling with dust or debris and clogging.
- Superior filtration rates.
- Ideal for vacuuming fine powders like concrete dust or dry bulky debris.
- No blowers, shakers, compressors or buttons to push.
- No clogging or stopping, maximising productivity whilst minimising potential risk.
- Ergonomically designed to facilitate ease of use.
- Easy to manoeuvre with handle bar, quality wheels, a solid frame and fittings to withstand harsh onsite and transportation requirements.



APPLICATIONS

- Capturing dust and debris generated by handheld power tools and surface preparation equipment.
- Grinding of small areas.
- General clean up.
- Vacuuming carpets and hard surfaces

FEATURES

- Continuous suction performance – no clogging or stopping.
- Reliable and effective self-cleaning system.
- Reduces risk of silica dust exposure.
- Power point with accompanying auto start function for plugging power tools into.

SPECIFICATIONS

Motor (Single Phase)	220-240
Max. rated power	6.1A
Weight	13.6kg
Airflow (Approx.)	237m³/h
Suction Inlet	38mm
Decibel Level	76db
Frequency	50/60Hz



AIRWORX 1250PB

Product Code: 0820-2406

AIRWORX 1250PB (Pulse-bac) vacuum system offers contractors excellent performance, reliability and safety.

- The single-phase 1250PB automatically flushes filters clear, using only ambient air and vacuum – stopping filters from filling with dust or debris and clogging.
- Superior filtration rates.
- Ideal for vacuuming fine powders like concrete dust or dry bulky debris.
- No blowers, shakers, compressors or buttons to push.
- No clogging or stopping, maximising productivity whilst minimising potential risk.
- Ergonomically designed to facilitate ease of use.
- Bagger unit is height adjustable, easy to manoeuvre with grip bars, large puncture proof tyres, caster wheels and a solid frame and fittings to withstand harsh onsite and transportation requirements.



APPLICATIONS

- Industrial dry use vacuum applications where high suction is required e.g:
 - Concrete grinding and polishing concrete, glue and coatings removal.
 - Timber floor sanding.
 - Vacuuming carpets and hard surfaces
 - All round clean-up of commercial properties/sites.

FEATURES

- Grip bars and large tyres provide easy manoeuvrability.
- Sturdy fittings and frame to withstand harsh onsite and transport conditions.
- Adjustable bagger height for easy transporting.
- Fitted with WORX+ silencer to reduce noise exposure.

SPECIFICATIONS

Motor (Single Phase)	220-240
Max. rated power	7.8A
Weight	70kg
Airflow (Approx.)	510m³/h
Suction Inlet	3" (75mm) Camlock
Decibel Level	91db
Decibel Level with Silencer	85db
Frequency	50/60Hz
Bagger Unit - Raised position	860 x 700 x 1520mm
Bagger Unit - Lowered position	860 x 700 x 1200mm





AIRWORX 55T

Product Code: 0820-4202

TECHNICAL INFORMATION

Motor (3-Phase)	5.5kW 380-480V
Rated Current	15A Max (6-12A normal use depending on speed setting)
Weight	260kg
Max Airflow (Approx.)	650m ³ /hr
Primary Filtration Surface area	2.25m ²
Micro Filter Surface Area	6.5m ²
Suction Inlet	75mm
Maximum Vacuum	300 mbar
Length x Width x Height (Upright)	1245 x 760 x 1325mm
Length x Width x Height (Folded)	1830 x 760 x 1325mm



APPLICATIONS

- Elimination of hazardous airborne dust in the grinding/sanding of concrete/masonry/timber applications.
- Industrial applications where high suction is required.

FEATURES

- Frequency controlled vacuum pump offering the following benefits:
 - I. 40% more airflow than standard machines on regular power supply.
 - II. Variable suction control (can be used for hand grinders through to large floor grinding machines).
 - III. Generator friendly soft start.
 - IV. Sophisticated electronic motor protection.
 - V. Automatic direction correction.
- Time saving radio controlled on/off (but also includes manual on/off).
- Reliable 2-stage filter sock & micro filter particle filtration.
- Large puncture proof wheels for easy transportation over rougher surfaces.
- Excellent ground clearance.
- Fits through standard doors.
- Rear “bull horns” for transportation of power
- Leads & vacuum hoses.
- Easily folds forward to enable compact transportation.
- Unique bag-disposal system for containment of messy and hazardous substances (continuous bag compatible).
- Washable polyester filters (M-Class only).
- Power outlet for grinding machine.
- Highly mobile & flexible unit.
- All metal super-industrial strength construction.
- 3” (75mm) hose inlet.
- Quiet operation with integrated WORX+ silencer.
- H class option – 99.999% @ 1µm particle size.

AIRWORX SCS

Product Code: 0820-6107

The AIRWORX SCS is a single chamber separator designed to keep grinding machinery and vacuums running while changing bags.

- Highly efficient cyclonic technology, where up to 90% of heavy and coarse dust captured from beneath the floor grinder is separated before it reaches the vacuum unit.
- Keep filters cleaner for longer, and in turn increase vacuum suction capacity, lower maintenance requirements, and facilitate longer vacuum operation times.
- Unique bypass valve system that facilitates continuous air flow through the separator to the vacuum unit, enabling dust bag changes without the need to turn off the vacuum system. Enhancing efficiency and boosting operator productivity.



FEATURES

- Height adjustable unit for compact transportation
- Industrial strength construction
- Large pneumatic wheels for easy transportation
- Available in either continuous bag or standard dust bag configurations.
- Ideal for radio-controlled grinders.

SPECIFICATIONS

- Height Raised: 1850mm
- Height Collapsed: 1450mm
- Width: 750mm
- Length: 1100mm
- Weight: 120kg





AIRWORX ATMOS

Product Code:
ATMOS 1000: 0820-7104, ATMOS 2000: 0820-7203

The ATMOS is a portable industrial-grade air purification system that is part of the WORX+ AIRWORX environmental air quality control range of products & services. Designed to keep harmful environmental air particulate contaminants well below safe exposure limits by recirculating it through a two stage filtration mechanism, the ATMOS can be used as a point of origin mechanical control measure or to regulate site environmental air quality.



FEATURES

- Durable light weight construction
- Two Speed
- 2 stage filtration
- H13 certified HEPA filter (>99.99% @ 0.3 microns)
- Lockable castor wheels
- Filter clogged warning light & alarm
- Filter damaged warning light & alarm
- 240V power point (10amps)
- Digital hour counter
- ATMOS 2000: 2000m³/hr max air cleaning capacity
- ATMOS 1000: 1000m³/hr max air cleaning capacity

APPLICATIONS

- Concrete grinding and polishing
- Surface preparation
- Glue and epoxy removal
- Levelling compound material removal

SPECIFICATIONS

ATMOS 1000

HEPA Filter Surface Area	3.5m²
240V	0.63kW/2.95A
Noise Level	68dB
Weight	19kg
Size	460 x 360 x 460mm

ATMOS 2000

HEPA Filter Surface Area	10.5m²
240V	0.63kW/2.95A
Noise Level	68dB
Weight	50kg
Size	710 x 500 x 850mm



DUST EXTRACTOR ACCESSORIES

PRODUCT	TYPE	PRODUCT CODE
Bags	Plastic Dust Bags 100 Micron - Box Of 200	0660-1102
	Continuous Folding Bags (Longopac), 4/Pk	0660-1201
	Continuous Folding Bags (Longopac), 2/Pk	0660-1300
PulseBac Bag Holder Frame	Pulse-Bac 550 Bag Holder Frame	0660-2109
Dust Bag Collar	Dust Bag Collar	0660-2307
Hose	Pulse-Bac 550 Replacement Hose With Fittings - 4.5m	0661-1101
	Pulse-Bac 550 MK2, Hose Adaptor	0661-6304
	38mm Flexible Vacuum Hose Steel Coil	0661-2108
	50mm Vacuum Hose Antistatic - 10m	0661-3105
	50mm Antistatic Hose With Plastic Tapered Bore	0661-3204
	50mm Vacuum Hose - Antistatic - 20m	0661-3303
	75mm Vacuum Hose - Antistatic - 10m	0661-4102
	75mm Vacuum Hose - Antistatic - 10m With Aluminium Kamlock Fittings	0661-4201
	75mm Vacuum Hose - Antistatic - 20m	0661-4300
	75mm Vacuum Hose - Antistatic - 30m	0661-4409
	Durasleeve 3" Hose Cover - 10m	0661-7103
Floor Tool	50mm Vacuum Hose Wand Adaptor With Tapered Bore - Plastic	0662-1209
	38mm 3 Piece Vacuum Wand	0662-1117
	Vacuum Floor Tool With Metal Frame - Wet/Dry - 450mm	0662-2114
	Replacement Vacuum Metal Floor Tool Rubber Strips Set	0662-4309
	Replacement Vacuum Metal Floor Tool Brush Set	0662-5306
	50mm 2 Piece Vacuum Wand	0662-1124
	Vacuum Floor Tool 50mm - Wet/Dry - 450mm	0662-2121
	Replacement Vacuum Floor Tool 50mm Rubber Strips Set	0662-4323
	Vacuum Floor Tool 50mm, Brush Set	0662-5320

DUST EXTRACTORS

DUST EXTRACTOR FILTER RANGE

MACHINE		PRIMARY FILTER		SECONDARY FILTER	
		FILTERS NEEDED	CODE	FILTERS NEEDED	CODE
WORX+	AIRWORX 55T (Compact)	19	0752-3700	2	0752-2208 (Std.) 0752-2901(H-CLASS)
	AIRWORX 55T (Snap-lock)	7	0752-3403		
	AIRWORX 55T (Hose clamp)	7	0752-3106		
	AIRWORX ATMOS 1000	1	0752-5100 (10/pk)	1	0752-5209 (HEPA)
	AIRWORX ATMOS 2000	1	0752-5308 (10/pk)	1	0752-5407 (HEPA)
WORX+ (Pulse Bac)	AIRWORX 550PB	2	0752-1102 (2/pk)		N/A
	AIRWORX 1250PB	3	0752-1409		N/A
Husqvarna	DC3300	7	0752-3205	1	0752-2109
	DC5500	7	0752-3106	2	0752-2208 (Std.) 0752-2901(H-CLASS)
	DC6000	1	0752-2307		N/A
	A1000	1	0752-5100 (10/pk)	1	0752-5209 (HEPA)
	A2000	1	0752-5308 (10/pk)	1	0752-5407 (HEPA)
Husqvarna (HTC)	IAD5 (HTC 5 iAD)	1	0752-4400	1	0752-2802
	IAD10 (HTC 10 iAD)	2	0752-4400	2	0752-2802
	IAD15 (HTC 15 iAD)	3	0752-4400	3	0752-2802
	IAD 80 (HTC 80 iD)	19	0752-3304	2	0752-2802
	HTC D20	1	0752-2505	2	0752-2604
	HTC D30	1	0752-2703	3	0752-2604
	HTC D60	1	0752-4301	1	0752-3601
Husqvarna (Pullman Ermator)	S26	1	0752-2505	2	0752-2604
	S36	1	0752-2703	3	0752-2604
	T7500	15	0752-3502	2	0752-2406
	T8600	15	0752-3502	2	0752-2406
	T10000	20	0752-3502	3	0752-2406
	T11000	25	0752-3502	4	0752-2406
	T12600	25	0752-3502	4	0752-2406
	T15000	25	0752-3502	4	0752-2406
	T18000	25	0752-3502	4	0752-2406

HAND GRINDERS

For the most updated information, please refer to our website www.worxplus.com



MAKITA CORNER PACKAGE

Product Code: 0811-4204

Ideal for polishing work on those hard to get to corner areas of your project.

It comes with the following tool and accessories:

- 1x Makita Corner Tool
- 1x Sturdy Makita Carry Case
- 1x 30 Grit Triangular Corner Polishing Pad - Metal
- 3x 60 Grit Triangular Corner Polishing Pad - Metal
- 2x 120 Grit Triangular Corner Polishing Pad - Metal
- 1x 200 Grit Triangular Corner Polishing Pad - Metal
- 1x 400 Grit Triangular Corner Polishing Pad - Metal
- 1x 800 Grit Triangular Corner Polishing Pad - Resin
- 1x 1500 Grit Triangular Corner Polishing Pad - Resin
- 1x 3000 Grit Triangular Corner Polishing Pad - Resin
- 3x Corner Rip Change Resin Mounting Discs



MAKITA CORNER TOOL FEATURES

- Compatible with all OIS (Oscillating Interface System) accessories.
- Hex wrench holder can be attached on the cord guard.
- Adjustable orbital stroke rate dial (1-5).
- Constant speed control with soft start.
- Connectable to dust extraction system for aggressive dust removal.

MAKITA CORNER TOOL SPECIFICATIONS

- 320W Motor with up to 20,000opm
- Continuous input rating: 320W
- Head height: 80mm
- Oscillation angle, Left/Right 1.6# (3.2 total)
- Oscillations per minute: 6,000 - 20,000opm
- Weight: 1.5kg

MAKITA 9" ANGLE GRINDER

Product Code: 0811-3806

Designed for industrial applications where durability and performance are required.



FEATURES

- Torque limiter
- Anti-vibration grip
- Dust resistant construction
- Comes with WORX+ exclusive vibration suppressing backing flange.
- WORX+ Edge Bandit Hand Plate

SPECIFICATIONS

- 2400W motor
- 6,600RPM (no load)
- Wheel diameter:180mm
- Weight: 5.1kg
- Spindle thread: M14x2

MAKITA POLISHER PACK

Product Code: 0811-2408

Equipped with variable speed, the WORX+ Makita Polisher Pack is an excellent choice for hand-held polishing.

Includes:

- 1x Makita 7" Variable Speed Polisher
- 1x Custom fit 5" Shroud
- 1x WORX+ Edge Bandit Hand Plate with durable foam layer
- 1x WORX+ exclusive vibration suppressing backing flange
- 11x 125mm Resin Polishing Pads



FEATURES

- No load speed 0-4000rpm.
- Rotating speed adjustment dial settings (1-6).
- Thermal overload protection with heat resistant motor for heavy applications.
- Thermally insulated gearbox ensuring unit is always cool to touch.
- Carpet skirt enables easy height adjustment and eliminates suction to floor.

SPECIFICATIONS

- 1600W motor
- Wheel diameter: 125mm
- Spindle Thread: M14X2
- Weight: 3.2kg



MAKITA CONCRETE PLANER PACK

Product Code: 0811-1319

An easy choice for hand-held grinding and mechanical grouting.

Includes:

- 1x Makita 5" Concrete Planer
- 1x Custom fit 5" shroud
- 1x WORX+ Edge Bandit Hand Plate with durable foam layer
- 1x WORX+ exclusive vibration suppressing backing flange
- 3x 125mm Cup Wheels



FEATURES

- Variable speed range of 2,800-12,000rpm (no load).
- Rotating speed adjustment dial settings (1-5).
- Thermal overload protection with heat resistant motor for heavy applications.
- Thermally insulated gearbox ensuring unit is always cool to touch.
- Carpet skirt enables easy height adjustment and eliminates suction to floor.

SPECIFICATIONS

- 1400W motor
- Wheel diameter: 125mm
- Spindle Thread: M14X2
- Weight: 2.4kg



HAND GRINDER ACCESSORIES

PRODUCT	SIZE	PRODUCT CODE
Dust Shroud	5" WORX+ Dust Shroud for Makita 5"	0642-3100
	5" WORX+ Dust Shroud for Makita 7"	0642-1212
	5" WORX+ Dust Shroud for Hitachi 7" & Metabo 5"	0642-1205
	5"/125mm Black Dust Shroud for 5"/125mm Makita/Hitachi	0642-1304
	7"/180mm Black Dust Shroud for 7"/180mm & 9"/230mm Makita/Hitachi	0642-2103
	7"/180mm Aluminium Dust Shroud For 7"/180mm & 9"/230mm Makita/Hitachi	0642-2202
Versa-Fit Dust Shroud	Versa-Fit 5" Utility Dust Shroud	0642-5104
	Versa-Fit 7" Utility Dust Shroud	0642-5203
Hose	38mm Hose for 5" Dust Shroud - 40cm long	0642-4107
Skirt	Skirt for 5" Dust Shroud 4/PK	0642-4206
Wear Strips	Wear Strips For 5" Black Dust Shroud	0642-3308
	Wear Strips For 7" Dust Shroud	0642-2806
Rubber Diaphragm	Rubber Diaphragm For 5" Black Dust Shroud	0642-3209
	Rubber Diaphragm For 7" Dust Shroud	0642-0406
Collar Adapter	Collar Adapter For 7"/180mm Dust Shroud (Bosch, Ramset & Keyang)	0642-2905
Vibration Suppression Backing Flange	Vibration Suppressing Backing Flange With 14mm Bore	0731-0102
Edge Bandit Hand Plate	Makita 5" Grinder, Edge Bandit	0731-0607
	Makita 7" Grinder, Edge Bandit (Hand Plate)	0731-0805
	Makita/Metabo 9" Edge Bandit	0731-1123





FORMULA WORX

FLOOR TREATMENT

For the most updated information, please refer to our website www.worxplus.com

FLOOR TREATMENT



Formula Worx is a floor treatment product range specifically developed to offer users highly effective and flexible solutions for floor preparation and polishing applications. Tried and tested, Formula Worx delivers outstanding and leading-edge performance in all application areas.

FORMULA WORX PRODUCT MATRIX

APPLICATION	PRODUCT	SIZES	DG
Densifying	Totally Boost Potassium (TBP)	20L	
	Totally Boost Lithium (TBL)	20L	
Grouting	Totally Restore Concentrate (TRC)	20L	
	Totally Restore Regular (TRR)	20L	
Sealer	Totally Defend Impregnating Solvent-Based Enhancer (TDISE)	5L	✓
	Totally Defend Impregnating Water-Based Enhancer (TDIWE)	5L	✓
	Totally Defend Water Based Urethane Gloss (TDWUG)	5, 20L	
	Totally Defend Water Based Urethane Matte (TDWUM)	5, 20L	
	Totally Defend Water Based Part B Sealer (TDWUB)	4L	
	Totally Defend PEN-X Penetrating Sealer	20L	✓
	Totally Defend PEN-X Thinner	10L	✓
Grinding Accelerator	Totally Cut Sikk Regular (TCSR)	10L	
Repair	Totally Repair Redi-Fix Starter Pack	410ml	
	Totally Repair Redi-Fix 2-Pack	410ml	
	Totally Repair Resin (TRPRT)	1L	✓
	Totally Repair Cementitious Grey (TRPCG)	20kg	
	Totally Repair Cementitious White (TRPCW)	20kg	
	Totally Repair Tint Black (TRTB)	50ml	
	Totally Repair Tint White (TRTW)	50ml	
	Totally Repair Resin Hardener	30g	
Floor Cleaner	Totally Care Floor Cleaner (TCFC)	1, 5L	





DENSIFIER – TOTALLY BOOST

Totally Boost is a uniquely formulated concrete hardening & densifying agent. Surface hardness can be improved dramatically within 24 hours, providing long term increases in strength, abrasion, and stain resistance of concrete floors. Essential for enhancing the appearance of mechanically polished concrete floors.

Available in two different formulas:



Total Boost Potassium (TBP)
An all-round densifier, well suited to soft and porous surfaces. Exceptional for pre-grout densification and the ‘flood coating’ of floors after grouting. With colour enhancing properties use if colour enrichment is desired.

Available sizes: 15L



Totally Boost Lithium (TBL)
An effective densifier for harder concrete or denser surfaces. Its chemical composition facilitates deep penetration into the concrete substrate. With a considerably faster curing time compared to TBP, it retains the existing colour of the concrete. Excellent for ‘lick coating’, TBL leaves low surface residual, reducing scratching risks during the polishing process. Invisible application results when used for dust suppression applications.

Available sizes: 15L

PRODUCT	SIZE	PRODUCT CODE
Totally Boost Potassium (TBP)	15L	0530-2208
Totally Boost Lithium (TBL)	15L	0530-3304



GROUT – TOTALLY RESTORE

Totally Restore is a grouting formula, specifically designed to restore floors through filling concrete pores and pinholes. The power grouting process fills and patches small air pockets in concrete, creating a closed and tighter slab. Water based, with high coverage rates and ease of use, Totally Restore increases the longevity of floors.

Available in Regular (TRR) or Concentrate (TRC):



Totally Restore Regular (TRR)
A pre-diluted grouting formula that ensures consistent dilution rates for each use. It’s ready to use straight out of the tub!

Available sizes: 15L

Totally Restore Concentrate (TRC)
TRC’s grouting formula enables contractors to make a more concentrated product if desired.

Available sizes: 15L

PRODUCT	SIZE	PRODUCT CODE
Totally Restore Regular (TRR)	15L	0520-2201
Totally Restore Concrete (TRC)	15L	0520-1105





SEALER – TOTALLY DEFEND

SOLVENT BASED IMPREGNATING SEALER



Totally Defend Impregnating Solvent-based Enhancer (TDISE)

A proprietary blend impregnating solvent sealer specifically designed to defend indoor surfaces from stains, acids, water, fats, and oils, whilst enhancing their natural colour and beauty.

Available in 5L.

WATER BASED IMPREGNATING SEALER



Totally Defend Impregnating Water-based Enhancer (TDIWE)

A high-performance, eco-friendly, proprietary blend, impregnating water-based sealer. Specifically designed for use on all natural and engineered stone/masonry surfaces including concrete where sustainability and ease of use is a priority.

Available in 5L.

PENETRATING SEALER



Totally Defend Pen-X Penetrating Sealer

PEN-X enhances, protects, and extends the life of external decorative surfaces.

With rich colour-enhancing properties, the natural aesthetic and appeal of the honed surface is improved and maintained. Keeping surfaces attractive for longer. This single-pack, solvent-based, concrete sealer is easy to use, creating a resilient surface, protecting it from UV, dirt ingress, mould/algae, and other staining agents.

Available in 20L.

URETHANE BASED SEALER

Totally Defend Water-based Urethane is a high performing clear coating for interior or exterior concrete and timber surfaces. Available in Gloss (TDWUG) or MATTE (TDWUM).



Totally Defend Water-based Urethane Gloss (TDWUG)

A go-to choice for gloss finishes.

Available in 5L & 20L.

Totally Defend Water-based Urethane Matte (TDWUM)

A go-to choice for matte finishes.

Available in 5L & 20L.

Totally Defend Water-based Urethane Part B Hardener (TDWUB)

TDWUB Part B is a hardening agent to be mixed with Gloss Sealer Part A Resin TDWUG or Matte Sealer Part A Resin TDWUM.

Available in 4L.

TOTALLY DEFEND PRODUCT MATRIX

PRODUCT	SIZE	PRODUCT CODE
Totally Defend Impregnating Solvent-Based Enhancer (TDISE)	5L	0541-0101
Totally Defend Impregnating Water-Based Enhancer (TDIWE)	5L	0541-0507
Totally Defend Water Based Urethane Gloss (TDWUG)	5L	0542-0506
Totally Defend Water Based Urethane Gloss (TDWUG)	20L	0542-0605
Totally Defend Water Based Urethane Matte (TDWUM)	5L	0542-0209
Totally Defend Water Based Urethane Matte (TDWUM)	20L	0542-0308
Totally Defend Water Based Part B Hardener (TDWUB)	4L	0542-0704
Totally Defend PEN-X Penetrating Sealer	20L	0541-3201
Totally Defend PEN-X Thinner	10L	0541-4109



GRINDING ACCELERATOR – TOTALLY CUT SIKK

The grinding compound of choice for fantastic metal bond grinding impact and the fast-tracking of surface preparation. Formulated to accelerate grinding, cut through surface contaminants faster and maximise grinding performance. Available in:



Totally Cut Sikk Regular (TCSR)

Best used for grinding applications free from thick surface contaminants.

Available in 10L.

PRODUCT	SIZE	PRODUCT CODE
Totally Cut Sikk Regular (TCSR)	10L	0550-0901



REPAIR – TOTALLY REPAIR



Totally Repair Resin (TRPRT)

TRPRT- Totally Repair: Patching Compound, Resin Transparent is a high performance, rapid curing, two component, concrete and masonry patching compound.

Formulated specifically to fill holes, cracks & joints in concrete and masonry surfaces. Its low viscosity makes it excellent for pouring into cracks, joints & saw-cuts. Combine it with sand, aggregates, and colours to match existing materials. With direct bonding properties no priming is required prior to installation.



Totally Repair Cementitious Patching Compound

A high-performance cementitious concrete and masonry patching compound, formulated specifically to fill holes, cracks & joints in concrete and masonry surfaces. A fast setting, fine blend, non-shrink and high compressive strength filler allows for polishing without the occurrence of 'sand pull-out' or 'heat swirling/burn' marks.

Available in Grey (TRPCG) and White (TRPCW).



Totally Repair Tint

Liquid tint for colouring Totally Repair resin patching compound (TRPRT).

Available in Black (TRTB) and White (TRTW).



Totally Repair Resin Hardener

Hardening agent for Totally Repair Resin (TRPRT).



Totally Repair Redi-Fix

Totally Repair Redi-Fix brings the perfect blend of a cementitious and resin repair compound into a single ready-to-go tube. Grey in colour, the Redi-Fix is a high-performance, rapid curing, self-mixing, two-component, concrete & masonry patching, anchoring and adhesive resin.

Available in 410ml.



PRODUCT	SIZE	PRODUCT CODE
Totally Repair Resin (TRPRT)	1L	0570-0806
Totally Repair Cementitious Grey (TRPCG)	20kg	0570-0301
Totally Repair Cementitious White (TRPCW)	20kg	0570-4408
Totally Repair Tint Black (TRTB)	50ml	0570-1001
Totally Repair Tint White (TRTW)	50ml	0570-0905
Totally Repair Resin Hardener	30g	0570-1100
Totally Repair Redi-Fix – Starter Pack (Includes x2 410ml Redi Fix, Dispensing Gun, Self-mixing Nozzles)	2 x 410ml	0570-5207
Totally Repair Redi-Fix – 2 Pack	2 x 410ml	0570-5306
Totally Repair Redi-Fix – Dispensing Gun		0680-4206

FLOOR CLEANER – TOTALLY CARE FLOOR CLEANER



Totally Care Floor Cleaner (TCFC)

A unique cleaning agent made from natural compounds to provide cleaning properties distinct from common detergents. Free from bases & phosphates it contains no gloss agents, waxes, or polymers. Leaving treated surfaces free of film or topical residue commonly associated with conventional cleaning agents which normally result in surfaces attracting dirt and residue at an accelerated rate.

Available in 1L & 5L.

PRODUCT	SIZE	PRODUCT CODE
Totally Care Floor Cleaner (TCFC)	1L	0560-0106
Totally Care Floor Cleaner (TCFC)	5L	0560-0205



FLOOR TREATMENT ACCESSORIES

PRODUCT	SIZE/PART	PRODUCT CODE
E-Sprayer	Rechargeable Sprayer With Trolley And Spare Battery	0681-6100
	Electric Sprayer Replacement Wand	0681-6605
	Electric Sprayer Replacement Hose - 10m	0681-6704
	Electric Sprayer Replacement Adjustable Spray Nozzle	0681-6803
	Electric Sprayer Replacement Spray Gun	0681-6902
	Electric Sprayer Replacement 3 Head Spray Nozzle	0681-7008
	Electric Sprayer Replacement Battery	0681-7503
	Electric Sprayer Replacement Battery Charger	0681-7602
Industrial Sprayer	Chemical Sprayer - 13L With Fine And Medium Spray Nozzle - Trigger Handle With Non-Drip Nozzle	0681-1105
	Chemical Sprayer Replacement Non-Drip Trigger And Wand	0681-2102
	Chemical Sprayer Replacement Hose	0681-3109
	Chemical Sprayer Nozzle - Fine	0681-4106
	Chemical Sprayer Nozzle - Coarse	0681-4205
	Chapin Pump Sprayer Seal Kit	0681-5103
	Chemical Sprayer Trigger Seal	0681-5202
Micro Fibre Mop	Complete Micro Fibre Applicator/Mop Including Handle	0680-2103
	Micro Fibre Mop Refill	0680-2202
	Micro Fibre 600mm Applicator/Mop with Handle	0680-2110
	Micro Fibre 900mm Applicator/Mop with Handle	0680-2127
	Micro Fibre 1200mm Applicator/Mop with Handle	0680-2134
	Micro Fibre Mop Refill 600mm	0680-2219
	Micro Fibre Mop Refill 900mm	0680-2226
	Micro Fibre Mop Refill 1200mm	0680-2233
	Handle For Micro Fibre Mop Applicator	0680-2417
	Mop Applicator Replacement Swivel Connector	0680-2516
Super Soft Green Broom	Super Soft Broom With Handle - 600mm Green Bristles	0680-3308
	Super Soft Broom Handle - Wooden	0680-3100
	Super Soft Broom Head - 600mm	0680-3209

TOTAL SOLUTIONS
FOR CONCRETE
GRINDING & POLISHING
CONTRACTORS

TOTAL SOLUTIONS
FOR CONCRETE
GRINDING & POLISHING
CONTRACTORS



MAKE IT
TOTALLYWORX



For further advice and support

WORX+ Head Office:
56 Jersey Road, Bayswater,
VIC 3153, Australia

1300 897 873
contact@worxplus.com
www.worxplus.com

Other Locations

WORX+ NSW:
43/159 Arthur Street, Homebush West,
NSW 2140, Australia

1300 897 873
contact@worxplus.com
www.worxplus.com

QLD:
Auskut Diamond Tools,
2/89 Spencer Road, Nerang, QLD 4211
(07) 5500 4715

SA/NT:
BR Construction Supplies,
82 Hardys Road, Torrensville, SA 5031
(08) 8358 5200

WA:
Concrete Hire,
15/24 Baile Road, Canning Vale, WA 6155
(08) 9456 5503

[Facebook.com/totallyworks](https://www.facebook.com/totallyworks)
Instagram: [@worxplus](https://www.instagram.com/worxplus)