



Product Guide

# SURFACE PREPARATION & DEMOLITION






# MAKING SURFACE PREPARATION & DEMOLITION WORX

Understanding tooling selection and machinery is key to delivering effective surface preparation and demolition.

WORX+ provides fit-for-purpose tooling to work effectively with varying sized grinders, dust management systems to create safer environments and increase productivity, as well as floor treatment to increase machinery performance. We are totally committed to working with your team in each step of your flooring process to boost your surface preparation and demolition outcomes.

Our line-up of product offerings **TOTALLYWORX**. Backed with:

- **TOTAL CONFIDENCE** – Tried, tested and proven performance on the job for the job.
- **TOTAL SUPPORT** – Mechanical service and repair, training, resources, accessible advice.
- **TOTAL RESULTS** – We sell what you need for real results.
- **TOTAL MONEY BACK GUARENTEE** – Risk-free purchasing. Total satisfaction or your money back. \*Terms & Conditions apply.



## TABLE OF CONTENTS



### GRINDING TOOLS 04

- 05 Walk-Behind Grinder Tools
- 10 Adapting To Your Machines
- 12 Hand-Held Grinder Tools

### DUST EXTRACTORS 14

- 15 AIRWORX Range
- 19 Air Quality Control
- 22 Dust Extractor Accessories
- 23 Dust Extractor Filter Range

### HAND-HELD GRINDERS 24

- 26 Hand-Held Grinder Accessories

### FLOOR TREATMENT 28

### SERVICE CENTRE 32

### EDUCATION 35



WORX+ diamond tooling choices have you covered for multiple applications and machinery types. From surface preparation through to complete concrete polishing applications, you will find a product that works for you.

# GRINDING TOOLS

For the most updated information, please refer to our website [www.totallyworks.com](http://www.totallyworks.com)

## GRINDING TOOLS



### WALK-BEHIND GRINDER TOOLS

#### ROX RANGE

The ROX metal bond diamond range offers fast and easy grinding to increase productivity rates. It sets advanced, high-performance benchmarks in diamond tooling output and longevity. With a variety of diamond shapes and integrated CGT™ the ROX range is designed to deliver high output for heavy duty surface preparation & stock removal through to high end polishing.

##### ROX XTRA OUTPUT

COLOUR	BOND	GRIT	SEGMENT	PRODUCT CODE
Green	Xtra Output	30	1	0131-0122
Green	Xtra Output	30	2	0131-0221



##### ROX SOFT BOND

COLOUR	BOND	GRIT	SEGMENT	PRODUCT CODE
Gold	Soft	6	1	0111-0104
Gold	Soft	6	2	0111-0203
Gold	Soft	16	1	0111-0326
Gold	Soft	16	2	0111-0425
Gold	Soft	30	1	0111-0524
Gold	Soft	30	2	0111-0623
Gold	Soft	30	3	0111-0722



##### ROX MEDIUM BOND

COLOUR	BOND	GRIT	SEGMENT	PRODUCT CODE
Grey	Medium	SUPERCOARSE	1	0112-0103
Grey	Medium	SUPERCOARSE	2	0112-0202
Grey	Medium	6	1	0112-0301
Grey	Medium	6	2	0112-0400
Grey	Medium	16	1	0112-0523
Grey	Medium	16	2	0112-0622
Grey	Medium	30	1	0112-0721
Grey	Medium	30	2	0112-0820





ROX HARD BOND

COLOUR	BOND	GRIT	SEGMENT	PRODUCT CODE
Red	Hard	SUPERCOARSE	1	0114-0101
Red	Hard	SUPERCOARSE	2	0114-0200
Red	Hard	6	1	0114-0309
Red	Hard	6	2	0114-0408
Red	Hard	16	1	0114-0521
Red	Hard	16	2	0114-0620
Red	Hard	30	1	0114-0729
Red	Hard	30	2	0114-0828
Red	Hard	30	3	0114-0927



ROX VERY HARD BOND

COLOUR	BOND	GRIT	SEGMENT	PRODUCT CODE
Blue	Very Hard	SUPERCOARSE	1	0115-0100
Blue	Very Hard	SUPERCOARSE	2	0115-0209
Blue	Very Hard	6	1	0115-0308
Blue	Very Hard	6	2	0115-0407
Blue	Very Hard	6	3	0115-0506
Blue	Very Hard	16	1	0115-0629
Blue	Very Hard	16	2	0115-0728
Blue	Very Hard	30	1	0115-0827
Blue	Very Hard	30	2	0115-0926
Blue	Very Hard	30	3	0115-1022



ROX SUPER HARD BOND

COLOUR	BOND	GRIT	SEGMENT	PRODUCT CODE
Purple	Super Hard	30	1	0116-0123
Purple	Super Hard	30	2	0116-0222
Purple	Super Hard	30	3	0116-0321



ZIG ZAG METAL BONDS

High performance tools for use in high-speed surface preparation applications and for aggression on harder concrete. Designed to apply pressure with greater stability than traditional thin segments. Multiple leading edges increase speed and decrease heat of segments more effectively than conventional tools increasing performance output.

COLOUR	BOND	GRIT	SEGMENT	PRODUCT CODE
Gold	Soft	16	1	0121-0101
Gold	Soft	16	2	0121-0200
Gold	Soft	30	1	0121-0309
Gold	Soft	30	2	0121-0408
Grey	Medium	16	1	0122-0100
Grey	Medium	16	2	0122-0209
Grey	Medium	30	1	0122-0308
Grey	Medium	30	2	0122-0407
Red	Hard	16	1	0123-0109
Red	Hard	16	2	0123-0208
Red	Hard	30	1	0123-0307
Red	Hard	30	2	0123-0406
Blue	Very Hard	16	1	0124-0306
Blue	Very Hard	16	2	0124-0405
Blue	Very Hard	30	1	0124-0504
Blue	Very Hard	30	2	0124-0603
Purple	Super Hard	30	2	0125-0602







UTILITY METAL BONDS

Great results for price sensitive projects from surface preparation through to polished concrete. Segment design optimises performance of lighter weight machines and allows for high productivity.

COLOUR	BOND	GRIT	SEGMENT	PRODUCT CODE
Gold	Soft	16	1	0141-0105
Gold	Soft	16	2	0141-0204
Gold	Soft	30	1	0141-0303
Gold	Soft	30	2	0141-0402
Gold	Soft	50	1	0141-0501
Gold	Soft	50	2	0141-0600
Grey	Medium	16	1	0142-0104
Grey	Medium	16	2	0142-0203
Grey	Medium	30	1	0142-0302
Grey	Medium	30	2	0142-0401
Grey	Medium	50	1	0142-0500
Grey	Medium	50	2	0142-0609
Red	Hard	16	1	0143-0103
Red	Hard	16	2	0143-0202
Red	Hard	30	1	0143-0301
Red	Hard	30	2	0143-0400
Red	Hard	50	1	0143-0509
Red	Hard	50	2	0143-0608



PCD

Effective and fast thick stock removal such as leveling compounds, epoxies, and adhesives.

PCD RANGE

ROTATION	SEGMENT	PRODUCT CODE
Clockwise	2x 1/3 PCD Scraper + Crushed PCD Wear Control Segment	0155-0108
Counter-clockwise	2x 1/3 PCD Scraper + Crushed PCD Wear Control Segment	0155-0207








ADAPTING TO YOUR MACHINES

Not running redi-lock-friendly machines? WORX+ has got you absolutely covered.

Our team stocks and manufactures adaptor plates and Redi-Lock plug adaptors to suit varying makes and sizes of grinders to ensure the most optimal tooling is available for your operations.

Below are just a few examples of adaptor plates available. Make sure to talk to your local rep about a solution for your specific needs.

PRODUCT	COMPATIBILITY & SIZE	PRODUCT CODE
<div>Redi Lock Diamond Holder Disc</div> 	Husqvarna PG450	0652-1301
	Husqvarna PG530/680	0652-1103
	Husqvarna PG820	0652-1202
	HTC 420	0652-2209
	HTC 550/650	0652-2308
	HTC 800/950	0652-2407
	HTC 270 Edger	0652-2100
	Klindex 200mm (Expander 530)	0652-3107
	Klindex 240mm (Expander 580, 650, 750, 850, 999 & 1000)	0652-3206
	Satellite Redi Lock Diamond Holder Disc	0652-8102
	Meteor 250 Redi Lock Diamond Holder Disc	0652-8300
	Schwamborn 250 Redi Lock Diamond Holder Disc	0652-8409
Redi Lock Plug Adapter	Replacement for Conventional Diamond Plugs	0652-5200
Redi Lock Trapezoid Adapter	Replacement for Conventional Trapezoid Diamond Plugs	0652-5101
Demolition Grinding Heads	Husqvarna PG530 Demolition Grinding Head	0651-1104
	Husqvarna PG680 Demolition Grinding Head	0651-1203
	Husqvarna PG820 Demolition Grinding Head	0651-1302
	HTC 650 HDX Demolition Grinding Head	0651-2101
	HTC 800 HDX Demolition Grinding Head	0651-2200
	HTC Duratq 6 Demolition Grinding Head	0651-2408
	HTC Duratq 8 Demolition Grinding Head	0651-2309
	SB650 Demolition Grinding Head	0651-3108
	SB800 Demolition Grinding Head	0651-3207
	Scanmaskin 700 Demolition Grinding Head	0651-4105







HAND-HELD GRINDER TOOLS

PCD

The Force PCD Cup Wheel range is a highly aggressive cup wheel range designed to deliver high productivity and performance.

DIAMETER	BOND	SEGMENT	PRODUCT CODE
125mm	Mini PCD	12	0311-0102
125mm	1/4 PCD	6	0311-0201
150mm	Mini PCD	16	0321-0109
150mm	1/4 PCD	6	0321-0208
180mm	1/4 PCD	8	0331-0205



ARROW

Highly aggressive cup wheel range designed to deliver top productivity performance. Great for rapid removal of concrete, glues and thin film coatings from concrete and masonry surfaces.

COLOUR	DIAMETER	BOND	GRIT	SEGMENT	PRODUCT CODE
Gold	180mm	Soft	30/40	6	0333-0104



FORCE

Highly aggressive cup wheel range designed to deliver high productivity performance. Rapid removal of concrete, glues and thin film coatings from concrete and masonry surfaces.

COLOUR	DIAMETER	BOND	GRIT	SEGMENT	PRODUCT CODE
Gold	125mm	Soft	30/40	8	0314-0109
Grey	125mm	Medium	30/40	8	0314-0208
Gold	150mm	Soft	30/40	10	0324-0106
Grey	150mm	Medium	30/40	10	0324-0205
Gold	180mm	Soft	30/40	12	0334-0103
Grey	180mm	Medium	30/40	12	0334-0202



ZIG ZAG

Rapid and aggressive surface preparation. Excellent for the removal of thick roll down coatings, glues etc. where an aggressive high-speed tool is required. Remove medium to hard stock coatings, thick coatings such as levelling compounds, mastics, epoxies and adhesives.

COLOUR	DIAMETER	BOND	GRIT	SEGMENT	PRODUCT CODE
Gold	125mm	Soft	16	6	0312-0101
Gold	125mm	Soft	30	6	0312-0200
Gold	150mm	Soft	16	7	0322-0108
Gold	150mm	Soft	30	7	0322-0207
Gold	180mm	Soft	16	8	0332-0105
Gold	180mm	Soft	30	8	0332-0204



TRIX BLADES

A multi-purpose diamond tool essential for every contractor’s toolbox. It has a large diamond surface for easy grinding & bevelling, a corrugated outer edge that enables cutting function, and its lightweight design makes it easy to finesse detail work.

PRODUCT	SIZE	GRIT	THREAD	PRODUCT CODE
TRIX3	75mm	30	M10	0211-0202
TRIX5	125mm	30	M14	0211-0103
TRIX7	150mm	30	M14	0211-0608





- › WORX+ AIRWORX range is designed for dirty, harsh and demanding work environments where conditions get tough and performance is premium.
- › WORX+ vacuums optimise vacuum suction capacity and minimise downtime through nuisance factors such as clogging, shaking, thumping or blocking.
- › Robust construction offers reliability and ease of use – no flimsy parts or wheels – practical and ergonomic in design and function. Built for performance, reliability and safety.
- › Superior suction and filtration capacity reduces exposure to silica dust.



# DUST EXTRACTORS

For the most updated information, please refer to our website [www.totallyworks.com](http://www.totallyworks.com)

## DUST EXTRACTORS



### AIRWORX 550PB

**Product Code: 0820-3205**

AIRWORX 550PB (Pulse-bac) vacuum system offers contractors excellent performance, reliability and safety.

- The single-phase 550PB automatically flushes filters clear, using only ambient air and vacuum – stopping filters from filling with dust or debris and clogging.
- Superior filtration rates.
- Ideal for vacuuming fine powders like concrete dust or dry bulky debris.
- No blowers, shakers, compressors or buttons to push.
- No clogging or stopping, maximising productivity whilst minimising potential risk.
- Ergonomically designed to facilitate ease of use.
- Easy to manoeuvre with handle bar, quality wheels, a solid frame and fittings to withstand harsh onsite and transportation requirements.



#### APPLICATIONS

- Capturing dust and debris generated by handheld power tools and surface preparation equipment.
- Grinding of small areas.
- General clean up.
- Vacuuming carpets and hard surfaces

#### FEATURES

- Continuous suction performance – no clogging or stopping.
- Reliable and effective self-cleaning system.
- Reduces risk of silica dust exposure.
- Power point with accompanying auto start function for plugging power tools into.

#### SPECIFICATIONS

Motor (Single Phase)	220-240
Max. rated power	6.1A
Weight	13.6kg
Airflow (Approx.)	237m <sup>3</sup> /h
Suction Inlet	38mm
Decibel Level	76db
Frequency	50/60Hz







AIRWORX 1250PB

Product Code: 0820-2406

AIRWORX 1250PB (Pulse-bac) vacuum system offers contractors excellent performance, reliability and safety.

- The single-phase 1250PB automatically flushes filters clear, using only ambient air and vacuum – stopping filters from filling with dust or debris and clogging.
- Superior filtration rates.
- Ideal for vacuuming fine powders like concrete dust or dry bulky debris.
- No blowers, shakers, compressors or buttons to push.
- No clogging or stopping, maximising productivity whilst minimising potential risk.
- Ergonomically designed to facilitate ease of use.
- Bagger unit is height adjustable, easy to manoeuvre with grip bars, large puncture proof tyres, caster wheels and a solid frame and fittings to withstand harsh onsite and transportation requirements.



APPLICATIONS

- Industrial dry use vacuum applications where high suction is required e.g:
  - Concrete grinding and polishing concrete, glue and coatings removal.
  - Timber floor sanding.
  - Vacuuming carpets and hard surfaces
  - All round clean-up of commercial properties/sites.

FEATURES

- Grip bars and large tyres provide easy manoeuvrability.
- Sturdy fittings and frame to withstand harsh onsite and transport conditions.
- Adjustable bagger height for easy transporting.
- Fitted with WORX+ silencer to reduce noise exposure.

SPECIFICATIONS

Motor (Single Phase)	220-240
Max. rated power	7.8A
Weight	70kg
Airflow (Approx.)	510m³/h
Suction Inlet	3" (75mm) Camlock
Decibel Level	91db
Decibel Level with Silencer	85db
Frequency	50/60Hz
Bagger Unit – Raised position	860 x 700 x 1520mm
Bagger Unit – Lowered position	860 x 700 x 1200mm



AIRWORX 55T

Product Code: 0820-4202

TECHNICAL INFORMATION

Motor (3-Phase)	5.5kW 380-480V
Rated Current	15A Max (6-12A normal use depending on speed setting)
Weight	260kg
Max Airflow (Approx.)	650m³/hr
Primary Filtration Surface area	2.25m²
Micro Filter Surface Area	6.5m²
Suction Inlet	75mm
Maximum Vacuum	300 mbar
Length x Width x Height (Upright)	1245 x 760 x 1325mm
Length x Width x Height (Folded)	1830 x 760 x 1325mm



APPLICATIONS

- Elimination of hazardous airborne dust in the grinding/sanding of concrete/masonry/timber applications.
- Industrial applications where high suction is required.

FEATURES

- Frequency controlled vacuum pump offering the following benefits:
  - I. 40% more airflow than standard machines on regular power supply.
  - II. Variable suction control (can be used for hand grinders through to large floor grinding machines).
  - III. Generator friendly soft start.
  - IV. Sophisticated electronic motor protection.
  - V. Automatic direction correction.
- Time saving radio controlled on/off (but also includes manual on/off).
- Reliable 2-stage filter sock & micro filter particle filtration.
- Large puncture proof wheels for easy transportation over rougher surfaces.
- Excellent ground clearance.
- Fits through standard doors.
- Rear "bull horns" for transportation of power
- Leads & vacuum hoses.
- Easily folds forward to enable compact transportation.
- Unique bag-disposal system for containment of messy and hazardous substances (continuous bag compatible).
- Washable polyester filters (M-Class only).
- Power outlet for grinding machine.
- Highly mobile & flexible unit.
- All metal super-industrial strength construction.
- 3" (75mm) hose inlet.
- Quiet operation with integrated WORX+ silencer.
- H class option – 99.999% @ 1µm particle size.





AIRWORX SCS

Product Code: 0820-6107

The AIRWORX SCS is a single chamber separator designed to keep grinding machinery and vacuums running while changing bags.

- Highly efficient cyclonic technology, where up to 90% of heavy and coarse dust captured from beneath the floor grinder is separated before it reaches the vacuum unit.
- Keep filters cleaner for longer, and in turn increase vacuum suction capacity, lower maintenance requirements, and facilitate longer vacuum operation times.
- Unique bypass valve system that facilitates continuous air flow through the separator to the vacuum unit, enabling dust bag changes without the need to turn off the vacuum system. Enhancing efficiency and boosting operator productivity.



FEATURES

- Height adjustable unit for compact transportation
- Industrial strength construction
- Large pneumatic wheels for easy transportation
- Available in either continuous bag or standard dust bag configurations.
- Ideal for radio-controlled grinders.

SPECIFICATIONS

- Height Raised: 1850mm
- Height Collapsed: 1450mm
- Width: 750mm
- Length: 1100mm
- Weight: 120kg

AIR QUALITY CONTROL

AIRWORX ATMOS

Product Code:

ATMOS 1000: 0820-7104, ATMOS 2000: 0820-7203

The ATMOS is a portable industrial-grade air purification system that is part of the WORX+ AIRWORX environmental air quality control range of products & services. Designed to keep harmful environmental air particulate contaminants well below safe exposure limits by recirculating it through a two stage filtration mechanism, the ATMOS can be used as a point of origin mechanical control measure or to regulate site environmental air quality.



FEATURES

- Durable light weight construction
- Two Speed
- 2 stage filtration
- H13 certified HEPA filter (>99.99% @ 0.3 microns)
- Lockable castor wheels
- Filter clogged warning light & alarm
- Filter damaged warning light & alarm
- 240V power point (10amps)
- Digital hour counter
- ATMOS 2000: 2000m³/hr max air cleaning capacity
- ATMOS 1000: 1000m³/hr max air cleaning capacity

APPLICATIONS

- Concrete grinding and polishing
- Surface preparation
- Glue and epoxy removal
- Levelling compound material removal

SPECIFICATIONS

ATMOS 1000

HEPA Filter Surface Area	3.5m²
240V	0.63kW/2.95A
Noise Level	68dB
Weight	19kg
Size	460 x 360 x 460mm

ATMOS 2000

HEPA Filter Surface Area	10.5m²
240V	0.63kW/2.95A
Noise Level	68dB
Weight	50kg
Size	710 x 500 x 850mm







CLEANSPACE – RESPIRATOR MASK

The CleanSpace respirator masks, takes operator safety to the next level. A great wearable device for an additional layer of protection from air contaminants. The CleanSpace masks are completely wireless, lightweight, and rechargeable units.

CLEANSPACE COMPONENT	ITEM	PRODUCT CODE
UNIT	CST1000: CleanSpace™ PRO Power System	0671-2105
	CST1010: CleanSpace™ ULTRA Power System (IP65 + Subscription option)	0671-2204
Mask	CST1035: CleanSpace™ CST Half Mask Medium inc Harness	0672-2203
	CST1036: CleanSpace™ CST Half Mask Large inc Harness	0672-2302
	CST1018: CleanSpace™ CST Full Face Mask Medium/ Large	0672-2500
	CST1034: CleanSpace™ CST Half Mask Small inc Harness	0672-2104
Filter	CST1005: CleanSpace™ CST Particulate Standard TM3 P3 Filter (3pk)	0673-2103
	CST1004: CleanSpace CST Particulate Filter HEPA/TM3/P3 (3pk)	0673-2202
	CST1007: CleanSpace™ CST ABEK1 P3 P SL R Combined Filter- Australia Only	0673-2301
Pre	PAF-0058: CleanSpace™ Particulate Pre-Filter and Coverall (Standard Filter)(20pk)	0674-0306
Harness	CST1021: CleanSpace™ CST Harness   Non Fabric, Included in CST1034/5/6	0676-2308
Car Charger	PAF-1024: CleanSpace Car Charger	0675-0909
Spare	Included with Unit, just extra/replacement. PAF-1101	0676-0106







DUST EXTRACTOR ACCESSORIES

PRODUCT	TYPE	PRODUCT CODE
Bags	Plastic Dust Bags 100 Micron - Box Of 200	0660-1102
	Continuous Folding Bags (Longopac), 4/Pk	0660-1201
	Continuous Folding Bags (Longopac), 2/Pk	0660-1300
PulseBac Bag Holder Frame	Pulse-Bac 550 Bag Holder Frame	0660-2109
Dust Bag Collar	Dust Bag Collar	0660-2307
Hose	Pulse-Bac 550 Replacement Hose With Fittings - 4.5m	0661-1101
	Pulse-Bac 550 MK2, Hose Adaptor	0661-6304
	38mm Flexible Vacuum Hose Steel Coil	0661-2108
	50mm Vacuum Hose Antistatic - 10m	0661-3105
	50mm Antistatic Hose With Plastic Tapered Bore	0661-3204
	50mm Vacuum Hose - Antistatic - 20m	0661-3303
	75mm Vacuum Hose - Antistatic - 10m	0661-4102
	75mm Vacuum Hose - Antistatic - 10m With Aluminium Kamlock Fittings	0661-4201
	75mm Vacuum Hose - Antistatic - 20m	0661-4300
	75mm Vacuum Hose - Antistatic - 30m	0661-4409
	Durasleeve 3" Hose Cover - 10m	0661-7103
Floor Tool	50mm Vacuum Hose Wand Adaptor With Tapered Bore - Plastic	0662-1209
	38mm 3 Piece Vacuum Wand	0662-1117
	Vacuum Floor Tool With Metal Frame - Wet/Dry - 450mm	0662-2114
	Replacement Vacuum Metal Floor Tool Rubber Strips Set	0662-4309
	Replacement Vacuum Metal Floor Tool Brush Set	0662-5306
	50mm 2 Piece Vacuum Wand	0662-1124
	Vacuum Floor Tool 50mm - Wet/Dry - 450mm	0662-2121
	Replacement Vacuum Floor Tool 50mm Rubber Strips Set	0662-4323
	Vacuum Floor Tool 50mm, Brush Set	0662-5320

DUST EXTRACTOR FILTER RANGE

MACHINE		PRIMARY FILTER		SECONDARY FILTER	
		FILTERS NEEDED	CODE	FILTERS NEEDED	CODE
WORX+	AIRWORX 55T (Compact)	19	0752-3700	2	0752-2208 (Std.) 0752-2901 (H-CLASS)
	AIRWORX 55T (Snap-lock)	7	0752-3403		
	AIRWORX 55T (Hose clamp)	7	0752-3106		
	AIRWORX ATMOS 1000	1	0752-5100 (10/pk)	1	0752-5209 (HEPA)
	AIRWORX ATMOS 2000	1	0752-5308 (10/pk)	1	0752-5407 (HEPA)
WORX+ (Pulse Bac)	AIRWORX 550PB	2	0752-1102 (2/pk)		N/A
	AIRWORX 1250PB	3	0752-1409		N/A
Husqvarna	DC3300	7	0752-3205	1	0752-2109
	DC5500	7	0752-3106	2	0752-2208 (Std.) 0752-2901 (H-CLASS)
	DC6000	1	0752-2307		N/A
	A1000	1	0752-5100 (10/pk)	1	0752-5209 (HEPA)
	A2000	1	0752-5308 (10/pk)	1	0752-5407 (HEPA)
Husqvarna (HTC)	IAD5 (HTC 5 iAD)	1	0752-4400	1	0752-2802
	IAD10 (HTC 10 iAD)	2	0752-4400	2	0752-2802
	IAD15 (HTC 15 iAD)	3	0752-4400	3	0752-2802
	IAD 80 (HTC 80 iD)	19	0752-3304	2	0752-2802
	HTC D20	1	0752-2505	2	0752-2604
	HTC D30	1	0752-2703	3	0752-2604
	HTC D60	1	0752-4301	1	0752-3601
Husqvarna (Pullman Ermator)	S26	1	0752-2505	2	0752-2604
	S36	1	0752-2703	3	0752-2604
	T7500	15	0752-3502	2	0752-2406
	T8600	15	0752-3502	2	0752-2406
	T10000	20	0752-3502	3	0752-2406
	T11000	25	0752-3502	4	0752-2406
	T12600	25	0752-3502	4	0752-2406
	T15000	25	0752-3502	4	0752-2406
	T18000	25	0752-3502	4	0752-2406





# HAND-HELD GRINDERS



## MAKITA 9" ANGLE GRINDER

**Product Code: 0811-3806**

Designed for industrial applications where durability and performance are required.



### FEATURES

- Torque limiter
- Anti-vibration grip
- Dust resistant construction
- Comes with WORX+ exclusive vibration suppressing backing flange.
- WORX+ Edge Bandit Hand Plate

### SPECIFICATIONS

- 2400W motor
- 6,600RPM (no load)
- Wheel diameter:180mm
- Weight: 5.1kg
- Spindle thread: M14x2

## MAKITA 5" CONCRETE PLANER PACK

**Product Code: 0811-1319**

An easy choice for hand-held grinding and mechanical grouting. Includes:

- 1x Makita 5" Concrete Planer
- 1x Custom fit 5" shroud
- 1x WORX+ Edge Bandit Hand Plate with durable foam layer
- 1x WORX+ exclusive vibration suppressing backing flange
- 3x 125mm Cup Wheels



### FEATURES

- Variable speed range of 2,800-12,000rpm (no load).
- Rotating speed adjustment dial settings (1-5).
- Thermal overload protection with heat resistant motor for heavy applications.
- Thermally insulated gearbox ensuring unit is always cool to touch.
- Carpet skirt enables easy height adjustment and eliminates suction to floor.

### SPECIFICATIONS

- 1400W motor
- Wheel diameter: 125mm
- Spindle Thread: M14X2
- Weight: 2.4kg

# HAND-HELD GRINDERS

For the most updated information, please refer to our website [www.totallyworks.com](http://www.totallyworks.com)





HAND-HELD GRINDER ACCESSORIES

PRODUCT	SIZE	PRODUCT CODE
Dust Shroud	5" WORX+ Dust Shroud for Makita 5"	0642-3100
	5" WORX+ Dust Shroud for Makita 7"	0642-1212
	5" WORX+ Dust Shroud for Hitachi 7" & Metabo 5"	0642-1205
	5"/125mm Black Dust Shroud for 5"/125mm Makita/Hitachi	0642-1304
	7"/180mm Black Dust Shroud for 7"/180mm & 9"/230mm Makita/Hitachi	0642-2103
	7"/180mm Aluminium Dust Shroud For 7"/180mm & 9"/230mm Makita/Hitachi	0642-2202
Versa-Fit Dust Shroud	Versa-Fit 5" Utility Dust Shroud	0642-5104
	Versa-Fit 7" Utility Dust Shroud	0642-5203
Hose	38mm Hose for 5" Dust Shroud - 40cm long	0642-4107
Skirt	Skirt for 5" Dust Shroud 4/PK	0642-4206
Wear Strips	Wear Strips For 5" Black Dust Shroud	0642-3308
	Wear Strips For 7" Dust Shroud	0642-2806
Rubber Diaphragm	Rubber Diaphragm For 5" Black Dust Shroud	0642-3209
	Rubber Diaphragm For 7" Dust Shroud	0642-0406
Collar Adapter	Collar Adapter For 7"/180mm Dust Shroud (Bosch, Ramset & Keyang)	0642-2905
Vibration Suppression Backing Flange	Vibration Suppressing Backing Flange With 14mm Bore	0731-0102
Edge Bandit Hand Plate	Makita 5" Grinder, Edge Bandit	0731-0607
	Makita 7" Grinder, Edge Bandit (Hand Plate)	0731-0805
	Makita/Metabo 9" Edge Bandit	0731-1123







FORMULA WORX

# FLOOR TREATMENT

For the most updated information, please refer to our website [www.totallyworks.com](http://www.totallyworks.com)

## FLOOR TREATMENT



### GRINDING ACCELERATOR – TOTALLY CUT SIKK

The grinding compound of choice for fantastic metal bond grinding impact and the fast-tracking of surface preparation. Formulated to accelerate grinding, cut through surface contaminants faster and maximise grinding performance. Available in:



#### Totally Cut Sikk Regular (TCSR)

Best used for grinding applications free from thick surface contaminants.  
Available in 10L.

#### Totally Cut Sikk Aggro (TCSA)

Maximises metal bond grinding performance for the removal of thicker surface contaminants (e.g. carpet & vinyl glue/adhesive, flexible ceramic tile adhesive etc.).  
Available in 10L.

PRODUCT	SIZE	PRODUCT CODE
Totally Cut Sikk Regular (TCSR)	10L	0550-0901
Totally Cut Sikk Aggro (TCSA)	10L	0550-1007







E-SPRAYER

Pump out more floor treatment meters with consistency and ease of use with the WORX+ battery-powered, airless, E-Sprayer.

The E-Sprayer makes applying moisture barriers and dust suppression an absolute breeze. It's also a great addition to the toolkit for water applications to keep tooling cool for optimal performance.

SPECIFICATIONS

Capacity	30L
Weight	27kg
Extension Hose Length	10cm
Spray (litres) Per Minute	2.6L/min with fine spray (up to 3.6min without sprayer nozzle)
Dimensions	60 x 50 x 100cm
Battery	18V L-ion battery 2.2 amp hour Battery recharge time approximately 1.5 hours



PRODUCT	SIZE/PART	PRODUCT CODE
E-Sprayer	Rechargeable Sprayer With Trolley And Spare Battery	0681-6100
	Electric Sprayer Replacement Wand	0681-6605
	Electric Sprayer Replacement Hose - 10m	0681-6704
	Electric Sprayer Replacement Adjustable Spray Nozzle	0681-6803
	Electric Sprayer Replacement Spray Gun	0681-6902
	Electric Sprayer Replacement 3 Head Spray Nozzle	0681-7008
	Electric Sprayer Replacement Battery	0681-7503
	Electric Sprayer Replacement Battery Charger	0681-7602





Productivity is vital to the flooring contractor. WORX+ service and support options ensure that your business keeps running when you need it most. Allowing you to stay focused on productivity and profitability.

Our Service Centre offerings include:

## SERVICE

Regular maintenance work to ensure your machines are performing at their most optimum.



## REPAIR

Machinery breakdowns happen. Our technicians will diagnose your machine(s) and repair them back to life.



## REBUILD

If you have an old machine or one that seems beyond repair, our expert team will rebuild it from the ground up to give it a new breath of life.



## UPGRADE

Get more out of your machine. Talk to our experts about the upgrade options to increase performance output and efficiencies of your machines.



# SERVICE CENTRE

For the most updated information, please refer to our website [www.totallyworks.com](http://www.totallyworks.com)



# SERVICE CENTRE



Extensive technical experience backs the WORX+ service team. Our team are familiar with the internal and external workings of a broad range of concrete grinding and polishing machines as well as vacuum systems. You can be assured that your service and repair requirements will be handled with priority, diagnosed accurately, conducted effectively and that our team will have your machine up and running ready to continue to make a valuable contribution to your every day operations as quickly as possible.



Our head technicians have manufactured, exported, developed and improved concrete grinding and polishing equipment all over the world. Our knowledge is your benefit, whether that be for onsite technical troubleshooting and support or accurate diagnosis of machinery faults and repairs in the workshop. Our service, repair and support options are designed to work for you.

A large indoor training session is taking place in a spacious hall with a high ceiling. Numerous people are seated at long tables covered with red tablecloths, facing a presentation area. In the background, there are large banners with the 'WORX+' logo and text that reads 'TOTAL SOLUTIONS FOR CONCRETE GRINDING & POLISHING CONTRACTORS'. A presenter is standing at the front, pointing towards a screen. The atmosphere is professional and educational.

# EDUCATION

*For the most updated information, please refer to our website [www.totallyworks.com](http://www.totallyworks.com)*



## LEVEL-UP YOUR FLOORING OPERATIONS AT A WORX+ SEMINAR

Educating contractors is our commitment to supporting those our industry. Our goal is to see contractors succeed with their business and flooring outcomes.

Our expert team run seminars throughout each year nationally and globally. So, make sure to talk to your local rep on the latest seminar dates!





## WHAT YOU CAN EXPECT

### SHARPEN YOUR SKILL

The WORX+ seminar blends a perfect mix of theory and practical on-the-tools training. You'll gain in-depth knowledge on the ins and outs of tooling, chemicals and machinery, all while learning how to apply it on the slab to bring out the best in your floor!

- ✓ COMPLETELY OWN THE PROCESS
- ✓ MASTER THE TECHNIQUES
- ✓ TROUBLESHOOT LIKE A PRO




You won't be locked into any brand of product or process – you'll learn how to best optimise your tooling selection and troubleshoot sticky situations in real-time to boost your bottom line and get proper results!

Get in-depth, hands-on training from our expert education team with 30+ years of experience in MPC contracting, product development, and machinery manufacturing. A team that has trained contractors globally more than any other brand.

Talk to our team about the latest seminar dates!







**For further advice and support:**

56 Jersey Road, Bayswater VIC 3153 Australia

1300 897 873

[contact@totallyworks.com](mailto:contact@totallyworks.com)

[www.totallyworks.com](http://www.totallyworks.com)

[Facebook.com/totallyworks](https://www.facebook.com/totallyworks)

Instagram: @worxplus